



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	26	1	Adsorbable Organic Halogens	Quarterly	2.4	mg/l	NA	NA	
11/01/2017	26	1	Alkalinity (as calcium Carbonate)	Quarterly	5140	mg/l	NA	NA	
11/01/2017	26	1	Aluminium	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	26	1	Arsenic	Quarterly	0.041	mg/l	NA	NA	
11/01/2017	26	1	Barium	Quarterly	3.81	mg/l	NA	NA	
11/01/2017	26	1	Benzene	Every 6 months	0.005	mg/l	NA	NA	
11/01/2017	26	1	Bicarbonate	Quarterly	5140	mg/l	NA	NA	
11/01/2017	26	1	Biological oxygen Demand	Quarterly	48	mg/l	NA	NA	
11/01/2017	26	1	Cadmium	Quarterly	<0.001	mg/l	NA	NA	
11/01/2017	26	1	Calcium	Quarterly	47	mg/l	NA	NA	
11/01/2017	26	1	Chemical Oxygen Demand	Yearly	2480	mg/l	NA	NA	
11/01/2017	26	1	Chloride	Quarterly	28600	mg/l	NA	NA	
11/01/2017	26	1	Chlorinated Hydrocarbons	Every 6 months	0.013	mg/l	NA	NA	
11/01/2017	26	1	Chromium	Quarterly	0.15	mg/l	NA	NA	
11/01/2017	26	1	Conductivity	Quarterly	87070	µS/cm	NA	NA	
11/01/2017	26	1	Copper	Quarterly	1.88	mg/l	NA	NA	
11/01/2017	26	1	Dissolved Oxygen	Quarterly	0.05	mg/l	NA	NA	
11/01/2017	26	1	Fluoride	Quarterly	2.1	mg/l	NA	NA	
11/01/2017	26	1	Lead	Quarterly	0.041	mg/l	NA	NA	
11/01/2017	26	1	Magnesium	Quarterly	387	mg/l	NA	NA	
11/01/2017	26	1	Manganese	Quarterly	0.188	mg/l	NA	NA	
11/01/2017	26	1	Mercury	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	26	1	Nickel	Every 6 months	0.152	mg/l	NA	NA	
11/01/2017	26	1	Nitrate	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	26	1	Nitrite	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	26	1	Nitrogen (ammonia)	Quarterly	1360	mg/l	NA	NA	
11/01/2017	26	1	Nitrogen (Total)	Quarterly	1180	mg/l	NA	NA	
11/01/2017	26	1	pH	Quarterly	7.65	pH Unit	NA	NA	
11/01/2017	26	1	Phosphorus (total)	Quarterly	4.82	mg/l	NA	NA	
11/01/2017	26	1	Polycyclic aromatic hydrocarbons	Every 6 months	0.0021	mg/l	NA	NA	
11/01/2017	26	1	Potassium	Quarterly	4150	mg/l	NA	NA	
11/01/2017	26	1	Redox Potential	Quarterly	15.4	mV	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	26	1	Selenium	Yearly	<0.10	mg/l	NA	NA	
11/01/2017	26	1	Silica	Yearly	45.9	mg/l	NA	NA	
11/01/2017	26	1	Silver	Yearly	0.016	mg/l	NA	NA	
11/01/2017	26	1	Sodium	Quarterly	14900	mg/l	NA	NA	
11/01/2017	26	1	Sulfate	Quarterly	<10	mg/l	NA	NA	
11/01/2017	26	1	Tin	Every 6 months	<0.010	mg/l	NA	NA	
11/01/2017	26	1	Total Dissolved Solids	Quarterly	49300	mg/l	NA	NA	
11/01/2017	26	1	Total Organic Carbon	Quarterly	421	mg/l	NA	NA	
11/01/2017	26	1	Total Phenolics	Quarterly	0.0045	mg/l	NA	NA	
11/01/2017	26	1	Zinc	Quarterly	1.13	mg/l	NA	NA	
11/01/2017	27	1	Adsorbable Organic Halogens	Quarterly	0.077	mg/l	NA	NA	
11/01/2017	27	1	Alkalinity (as calcium Carbonate)	Quarterly	884	mg/l	NA	NA	
11/01/2017	27	1	Aluminium	Quarterly	0.97	mg/l	NA	NA	
11/01/2017	27	1	Arsenic	Quarterly	0.003	mg/l	NA	NA	
11/01/2017	27	1	Barium	Quarterly	0.778	mg/l	NA	NA	
11/01/2017	27	1	Benzene	Every 6 months	<0.001	mg/l	NA	NA	
11/01/2017	27	1	Bicarbonate	Quarterly	<1	mg/l	NA	NA	
11/01/2017	27	1	Biological oxygen Demand	Quarterly	<2	mg/l	NA	NA	
11/01/2017	27	1	Cadmium	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	27	1	Calcium	Quarterly	513	mg/l	NA	NA	
11/01/2017	27	1	Chemical Oxygen Demand	Yearly	83	mg/l	NA	NA	
11/01/2017	27	1	Chloride	Quarterly	1230	mg/l	NA	NA	
11/01/2017	27	1	Chlorinated Hydrocarbons	Every 6 months	<0.05	mg/l	NA	NA	
11/01/2017	27	1	Chromium	Quarterly	0.001	mg/l	NA	NA	
11/01/2017	27	1	Conductivity	Quarterly	7781	µS/cm	NA	NA	
11/01/2017	27	1	Copper	Quarterly	0.046	mg/l	NA	NA	
11/01/2017	27	1	Dissolved Oxygen	Quarterly	2.65	mg/l	NA	NA	
11/01/2017	27	1	Fluoride	Quarterly	0.5	mg/l	NA	NA	
11/01/2017	27	1	Lead	Quarterly	0.038	mg/l	NA	NA	
11/01/2017	27	1	Magnesium	Quarterly	<1	mg/l	NA	NA	
11/01/2017	27	1	Manganese	Quarterly	0.007	mg/l	NA	NA	
11/01/2017	27	1	Mercury	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	27	1	Nickel	Every 6 months	0.008	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	27	1	Nitrate	Quarterly	<0.01	mg/l	NA	NA	
11/01/2017	27	1	Nitrite	Quarterly	0.03	mg/l	NA	NA	
11/01/2017	27	1	Nitrogen (ammonia)	Quarterly	2.55	mg/l	NA	NA	
11/01/2017	27	1	Nitrogen (Total)	Quarterly	3.4	mg/l	NA	NA	
11/01/2017	27	1	pH	Quarterly	12	pH Unit	NA	NA	
11/01/2017	27	1	Phosphorus (total)	Quarterly	0.02	mg/l	NA	NA	
11/01/2017	27	1	Polycyclic aromatic hydrocarbons	Every 6 months	<0.0005	mg/l	NA	NA	
11/01/2017	27	1	Potassium	Quarterly	25	mg/l	NA	NA	
11/01/2017	27	1	Redox Potential	Quarterly	-111.5	mV	NA	NA	
11/01/2017	27	1	Selenium	Yearly	<0.01	mg/l	NA	NA	
11/01/2017	27	1	Silica	Yearly	2.6	mg/l	NA	NA	
11/01/2017	27	1	Silver	Yearly	<0.001	mg/l	NA	NA	
11/01/2017	27	1	Sodium	Quarterly	779	mg/l	NA	NA	
11/01/2017	27	1	Sulfate	Quarterly	18	mg/l	NA	NA	
11/01/2017	27	1	Tin	Every 6 months	0.001	mg/l	NA	NA	
11/01/2017	27	1	Total Dissolved Solids	Quarterly	3720	mg/l	NA	NA	
11/01/2017	27	1	Total Organic Carbon	Quarterly	33	mg/l	NA	NA	
11/01/2017	27	1	Total Phenolics	Quarterly	<0.002	mg/l	NA	NA	
11/01/2017	27	1	Zinc	Quarterly	0.56	mg/l	NA	NA	
11/01/2017	28	1	Adsorbable Organic Halogens	Quarterly	2.6	mg/l	NA	NA	
11/01/2017	28	1	Alkalinity (as calcium Carbonate)	Quarterly	1480	mg/l	NA	NA	
11/01/2017	28	1	Aluminium	Quarterly	0.13	mg/l	NA	NA	
11/01/2017	28	1	Arsenic	Quarterly	0.101	mg/l	NA	NA	
11/01/2017	28	1	Barium	Quarterly	0.116	mg/l	NA	NA	
11/01/2017	28	1	Benzene	Every 6 months	<0.001	mg/l	NA	NA	
11/01/2017	28	1	Bicarbonate	Quarterly	1480	mg/l	NA	NA	
11/01/2017	28	1	Biological oxygen Demand	Quarterly	38	mg/l	NA	NA	
11/01/2017	28	1	Cadmium	Quarterly	0.0001	mg/l	NA	NA	
11/01/2017	28	1	Calcium	Quarterly	225	mg/l	NA	NA	
11/01/2017	28	1	Chemical Oxygen Demand	Yearly	553	mg/l	NA	NA	
11/01/2017	28	1	Chloride	Quarterly	5980	mg/l	NA	NA	
11/01/2017	28	1	Chlorinated Hydrocarbons	Every 6 months	<0.05	mg/l	NA	NA	
11/01/2017	28	1	Chromium	Quarterly	0.026	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	28	1	Conductivity	Quarterly	19299	µS/cm	NA	NA	
11/01/2017	28	1	Copper	Quarterly	0.296	mg/l	NA	NA	
11/01/2017	28	1	Dissolved Oxygen	Quarterly	1.18	mg/l	NA	NA	
11/01/2017	28	1	Fluoride	Quarterly	1.4	mg/l	NA	NA	
11/01/2017	28	1	Lead	Quarterly	0.006	mg/l	NA	NA	
11/01/2017	28	1	Magnesium	Quarterly	271	mg/l	NA	NA	
11/01/2017	28	1	Manganese	Quarterly	1.62	mg/l	NA	NA	
11/01/2017	28	1	Mercury	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	28	1	Nickel	Every 6 months	0.409	mg/l	NA	NA	
11/01/2017	28	1	Nitrate	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	28	1	Nitrite	Quarterly	2.3	mg/l	NA	NA	
11/01/2017	28	1	Nitrogen (ammonia)	Quarterly	261	mg/l	NA	NA	
11/01/2017	28	1	Nitrogen (Total)	Quarterly	276	mg/l	NA	NA	
11/01/2017	28	1	pH	Quarterly	7.59	pH Unit	NA	NA	
11/01/2017	28	1	Phosphorus (total)	Quarterly	0.94	mg/l	NA	NA	
11/01/2017	28	1	Polycyclic aromatic hydrocarbons	Every 6 months	<0.0005	mg/l	NA	NA	
11/01/2017	28	1	Potassium	Quarterly	1510	mg/l	NA	NA	
11/01/2017	28	1	Redox Potential	Quarterly	-80.3	mV	NA	NA	
11/01/2017	28	1	Selenium	Yearly	0.02	mg/l	NA	NA	
11/01/2017	28	1	Silica	Yearly	67.9	mg/l	NA	NA	
11/01/2017	28	1	Silver	Yearly	<0.001	mg/l	NA	NA	
11/01/2017	28	1	Sodium	Quarterly	3060	mg/l	NA	NA	
11/01/2017	28	1	Sulfate	Quarterly	1840	mg/l	NA	NA	
11/01/2017	28	1	Tin	Every 6 months	0.003	mg/l	NA	NA	
11/01/2017	28	1	Total Dissolved Solids	Quarterly	14300	mg/l	NA	NA	
11/01/2017	28	1	Total Organic Carbon	Quarterly	200	mg/l	NA	NA	
11/01/2017	28	1	Total Phenolics	Quarterly	<0.002	mg/l	NA	NA	
11/01/2017	28	1	Zinc	Quarterly	0.716	mg/l	NA	NA	
11/01/2017	29	1	Adsorbable Organic Halogens	Quarterly	2.4	mg/l	NA	NA	
11/01/2017	29	1	Alkalinity (as calcium Carbonate)	Quarterly	6960	mg/l	NA	NA	
11/01/2017	29	1	Aluminium	Quarterly	0.04	mg/l	NA	NA	
11/01/2017	29	1	Arsenic	Quarterly	1.47	mg/l	NA	NA	
11/01/2017	29	1	Barium	Quarterly	0.058	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	29	1	Benzene	Every 6 months	0.002	mg/l	NA	NA	
11/01/2017	29	1	Bicarbonate	Quarterly	6960	mg/l	NA	NA	
11/01/2017	29	1	Biological oxygen Demand	Quarterly	3	mg/l	NA	NA	
11/01/2017	29	1	Cadmium	Quarterly	0.0004	mg/l	NA	NA	
11/01/2017	29	1	Calcium	Quarterly	18	mg/l	NA	NA	
11/01/2017	29	1	Chemical Oxygen Demand	Yearly	2200	mg/l	NA	NA	
11/01/2017	29	1	Chloride	Quarterly	8570	mg/l	NA	NA	
11/01/2017	29	1	Chlorinated Hydrocarbons	Every 6 months	<0.05	mg/l	NA	NA	
11/01/2017	29	1	Chromium	Quarterly	0.169	mg/l	NA	NA	
11/01/2017	29	1	Conductivity	Quarterly	33738	µS/cm	NA	NA	
11/01/2017	29	1	Copper	Quarterly	8.02	mg/l	NA	NA	
11/01/2017	29	1	Dissolved Oxygen	Quarterly	0.55	mg/l	NA	NA	
11/01/2017	29	1	Fluoride	Quarterly	2.2	mg/l	NA	NA	
11/01/2017	29	1	Lead	Quarterly	0.012	mg/l	NA	NA	
11/01/2017	29	1	Magnesium	Quarterly	996	mg/l	NA	NA	
11/01/2017	29	1	Manganese	Quarterly	0.216	mg/l	NA	NA	
11/01/2017	29	1	Mercury	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	29	1	Nickel	Every 6 months	0.306	mg/l	NA	NA	
11/01/2017	29	1	Nitrate	Quarterly	0.18	mg/l	NA	NA	
11/01/2017	29	1	Nitrite	Quarterly	<0.01	mg/l	NA	NA	
11/01/2017	29	1	Nitrogen (ammonia)	Quarterly	485	mg/l	NA	NA	
11/01/2017	29	1	Nitrogen (Total)	Quarterly	534	mg/l	NA	NA	
11/01/2017	29	1	pH	Quarterly	7.9	pH Unit	NA	NA	
11/01/2017	29	1	Phosphorus (total)	Quarterly	9.68	mg/l	NA	NA	
11/01/2017	29	1	Polycyclic aromatic hydrocarbons	Every 6 months	0.0048	mg/l	NA	NA	
11/01/2017	29	1	Potassium	Quarterly	1770	mg/l	NA	NA	
11/01/2017	29	1	Redox Potential	Quarterly	64.6	mV	NA	NA	
11/01/2017	29	1	Selenium	Yearly	0.06	mg/l	NA	NA	
11/01/2017	29	1	Silica	Yearly	67.9	mg/l	NA	NA	
11/01/2017	29	1	Silver	Yearly	<0.01	mg/l	NA	NA	
11/01/2017	29	1	Sodium	Quarterly	7110	mg/l	NA	NA	
11/01/2017	29	1	Sulfate	Quarterly	5450	mg/l	NA	NA	
11/01/2017	29	1	Tin	Every 6 months	0.066	mg/l	NA	NA	
11/01/2017	29	1	Total Dissolved Solids	Quarterly	31000	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	29	1	Total Organic Carbon	Quarterly	22	mg/l	NA	NA	
11/01/2017	29	1	Total Phenolics	Quarterly	0.0474	mg/l	NA	NA	
11/01/2017	29	1	Zinc	Quarterly	1.13	mg/l	NA	NA	
21/12/2016	30	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Aluminium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Arsenic	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Barium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Benzene	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Bicarbonate	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Cadmium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Calcium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Chloride	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Chromium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Conductivity	Quarterly		µS/cm	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Copper	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Fluoride	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Lead	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Magnesium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Manganese	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Mercury	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Nickel	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Nitrate	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Nitrite	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	pH	Quarterly		pH Unit	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	30	1	Potassium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Redox Potential	Quarterly		mV	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Selenium	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Silica	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Silver	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Sodium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Sulfate	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Tin	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Total Phenolics	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	30	1	Zinc	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	36	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	36	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	36	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	37	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	37	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	38	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	38	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	38	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	39	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	39	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
11/01/2017	40	1	Adsorbable Organic Halogens	Quarterly	1.7	mg/l	NA	NA	
11/01/2017	40	1	Alkalinity (as calcium Carbonate)	Quarterly	6120	mg/l	NA	NA	
11/01/2017	40	1	Aluminium	Quarterly	1.28	mg/l	NA	NA	
11/01/2017	40	1	Arsenic	Quarterly	0.119	mg/l	NA	NA	
11/01/2017	40	1	Barium	Quarterly	1.44	mg/l	NA	NA	
11/01/2017	40	1	Benzene	Every 6 months	0.003	mg/l	NA	NA	
11/01/2017	40	1	Bicarbonate	Quarterly	6120	mg/l	NA	NA	
11/01/2017	40	1	Biological oxygen Demand	Quarterly	86	mg/l	NA	NA	
11/01/2017	40	1	Cadmium	Quarterly	0.0001	mg/l	NA	NA	
11/01/2017	40	1	Calcium	Quarterly	124	mg/l	NA	NA	
11/01/2017	40	1	Chemical Oxygen Demand	Yearly	1740	mg/l	NA	NA	
11/01/2017	40	1	Chloride	Quarterly	3760	mg/l	NA	NA	
11/01/2017	40	1	Chlorinated Hydrocarbons	Every 6 months	0.011	mg/l	NA	NA	
11/01/2017	40	1	Chromium	Quarterly	0.334	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	40	1	Conductivity	Quarterly	21471	µS/cm	NA	NA	
11/01/2017	40	1	Copper	Quarterly	1.3	mg/l	NA	NA	
11/01/2017	40	1	Dissolved Oxygen	Quarterly	0.68	mg/l	NA	NA	
11/01/2017	40	1	Fluoride	Quarterly	1.6	mg/l	NA	NA	
11/01/2017	40	1	Lead	Quarterly	0.008	mg/l	NA	NA	
11/01/2017	40	1	Magnesium	Quarterly	309	mg/l	NA	NA	
11/01/2017	40	1	Manganese	Quarterly	0.778	mg/l	NA	NA	
11/01/2017	40	1	Mercury	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	40	1	Nickel	Every 6 months	0.218	mg/l	NA	NA	
11/01/2017	40	1	Nitrate	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	40	1	Nitrite	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	40	1	Nitrogen (ammonia)	Quarterly	881	mg/l	NA	NA	
11/01/2017	40	1	Nitrogen (Total)	Quarterly	756	mg/l	NA	NA	
11/01/2017	40	1	pH	Quarterly	7.64	pH Unit	NA	NA	
11/01/2017	40	1	Phosphorus (total)	Quarterly	6.46	mg/l	NA	NA	
11/01/2017	40	1	Polycyclic aromatic hydrocarbons	Every 6 months	<0.0005	mg/l	NA	NA	
11/01/2017	40	1	Potassium	Quarterly	336	mg/l	NA	NA	
11/01/2017	40	1	Redox Potential	Quarterly	-3.7	mV	NA	NA	
11/01/2017	40	1	Selenium	Yearly	<0.01	mg/l	NA	NA	
11/01/2017	40	1	Silica	Yearly	53.5	mg/l	NA	NA	
11/01/2017	40	1	Silver	Yearly	0.002	mg/l	NA	NA	
11/01/2017	40	1	Sodium	Quarterly	2960	mg/l	NA	NA	
11/01/2017	40	1	Sulfate	Quarterly	132	mg/l	NA	NA	
11/01/2017	40	1	Tin	Every 6 months	0.039	mg/l	NA	NA	
11/01/2017	40	1	Total Dissolved Solids	Quarterly	29200	mg/l	NA	NA	
11/01/2017	40	1	Total Organic Carbon	Quarterly	302	mg/l	NA	NA	
11/01/2017	40	1	Total Phenolics	Quarterly	0.0029	mg/l	NA	NA	
11/01/2017	40	1	Zinc	Quarterly	0.51	mg/l	NA	NA	
21/12/2016	41	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	41	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	41	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	41	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	42	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	42	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	43	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Aluminium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Arsenic	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Barium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Benzene	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Bicarbonate	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Cadmium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Calcium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Chloride	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Chromium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Conductivity	Quarterly		µS/cm	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Copper	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Fluoride	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Lead	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Magnesium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Manganese	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	43	1	Mercury	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Nickel	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Nitrate	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Nitrite	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	pH	Quarterly		pH Unit	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Potassium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Redox Potential	Quarterly		mV	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Selenium	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Silica	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Silver	Yearly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Sodium	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Sulfate	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Tin	Every 6 months		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Total Phenolics	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
21/12/2016	43	1	Zinc	Quarterly		mg/l	NA	NA	Monitoring point not accessible, EPA have been advised
11/01/2017	44	1	Adsorbable Organic Halogens	Quarterly	1.5	mg/l	NA	NA	
11/01/2017	44	1	Alkalinity (as calcium Carbonate)	Quarterly	8080	mg/l	NA	NA	
11/01/2017	44	1	Aluminium	Quarterly	0.62	mg/l	NA	NA	
11/01/2017	44	1	Arsenic	Quarterly	0.146	mg/l	NA	NA	
11/01/2017	44	1	Barium	Quarterly	1.78	mg/l	NA	NA	
11/01/2017	44	1	Benzene	Every 6 months	0.006	mg/l	NA	NA	
11/01/2017	44	1	Bicarbonate	Quarterly	8080	mg/l	NA	NA	
11/01/2017	44	1	Biological oxygen Demand	Quarterly	47	mg/l	NA	NA	
11/01/2017	44	1	Cadmium	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	44	1	Calcium	Quarterly	82	mg/l	NA	NA	
11/01/2017	44	1	Chemical Oxygen Demand	Yearly	2080	mg/l	NA	NA	
11/01/2017	44	1	Chloride	Quarterly	4690	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	44	1	Chlorinated Hydrocarbons	Every 6 months	0.015	mg/l	NA	NA	
11/01/2017	44	1	Chromium	Quarterly	0.479	mg/l	NA	NA	
11/01/2017	44	1	Conductivity	Quarterly	24895	µS/cm	NA	NA	
11/01/2017	44	1	Copper	Quarterly	1.05	mg/l	NA	NA	
11/01/2017	44	1	Dissolved Oxygen	Quarterly	0.26	mg/l	NA	NA	
11/01/2017	44	1	Fluoride	Quarterly	1.8	mg/l	NA	NA	
11/01/2017	44	1	Lead	Quarterly	0.005	mg/l	NA	NA	
11/01/2017	44	1	Magnesium	Quarterly	291	mg/l	NA	NA	
11/01/2017	44	1	Manganese	Quarterly	0.436	mg/l	NA	NA	
11/01/2017	44	1	Mercury	Quarterly	0.0001	mg/l	NA	NA	
11/01/2017	44	1	Nickel	Every 6 months	0.22	mg/l	NA	NA	
11/01/2017	44	1	Nitrate	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	44	1	Nitrite	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	44	1	Nitrogen (ammonia)	Quarterly	1170	mg/l	NA	NA	
11/01/2017	44	1	Nitrogen (Total)	Quarterly	1280	mg/l	NA	NA	
11/01/2017	44	1	pH	Quarterly	7.5	pH Unit	NA	NA	
11/01/2017	44	1	Phosphorus (total)	Quarterly	8.27	mg/l	NA	NA	
11/01/2017	44	1	Polycyclic aromatic hydrocarbons	Every 6 months	<0.0005	mg/l	NA	NA	
11/01/2017	44	1	Potassium	Quarterly	442	mg/l	NA	NA	
11/01/2017	44	1	Redox Potential	Quarterly	-205.6	mV	NA	NA	
11/01/2017	44	1	Selenium	Yearly	<0.01	mg/l	NA	NA	
11/01/2017	44	1	Silica	Yearly	51.6	mg/l	NA	NA	
11/01/2017	44	1	Silver	Yearly	0.002	mg/l	NA	NA	
11/01/2017	44	1	Sodium	Quarterly	3870	mg/l	NA	NA	
11/01/2017	44	1	Sulfate	Quarterly	86	mg/l	NA	NA	
11/01/2017	44	1	Tin	Every 6 months	0.062	mg/l	NA	NA	
11/01/2017	44	1	Total Dissolved Solids	Quarterly	30000	mg/l	NA	NA	
11/01/2017	44	1	Total Organic Carbon	Quarterly	1280	mg/l	NA	NA	
11/01/2017	44	1	Total Phenolics	Quarterly	0.0298	mg/l	NA	NA	
11/01/2017	44	1	Zinc	Quarterly	0.262	mg/l	NA	NA	
11/01/2017	52	1	Adsorbable Organic Halogens	Quarterly	3.2	mg/l	NA	NA	
11/01/2017	52	1	Alkalinity (as calcium Carbonate)	Quarterly	1490	mg/l	NA	NA	
11/01/2017	52	1	Aluminium	Quarterly	0.5	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	52	1	Arsenic	Quarterly	0.095	mg/l	NA	NA	
11/01/2017	52	1	Barium	Quarterly	0.132	mg/l	NA	NA	
11/01/2017	52	1	Benzene	Every 6 months	0.039	mg/l	NA	NA	
11/01/2017	52	1	Bicarbonate	Quarterly	1490	mg/l	NA	NA	
11/01/2017	52	1	Biological oxygen Demand	Quarterly	218	mg/l	NA	NA	
11/01/2017	52	1	Cadmium	Quarterly	0.0004	mg/l	NA	NA	
11/01/2017	52	1	Calcium	Quarterly	245	mg/l	NA	NA	
11/01/2017	52	1	Chemical Oxygen Demand	Yearly	2580	mg/l	NA	NA	
11/01/2017	52	1	Chloride	Quarterly	2770	mg/l	NA	NA	
11/01/2017	52	1	Chlorinated Hydrocarbons	Every 6 months	0.058	mg/l	NA	NA	
11/01/2017	52	1	Chromium	Quarterly	0.027	mg/l	NA	NA	
11/01/2017	52	1	Conductivity	Quarterly	9388	µS/cm	NA	NA	
11/01/2017	52	1	Copper	Quarterly	0.122	mg/l	NA	NA	
11/01/2017	52	1	Dissolved Oxygen	Quarterly	0.1	mg/l	NA	NA	
11/01/2017	52	1	Fluoride	Quarterly	1.2	mg/l	NA	NA	
11/01/2017	52	1	Lead	Quarterly	0.029	mg/l	NA	NA	
11/01/2017	52	1	Magnesium	Quarterly	112	mg/l	NA	NA	
11/01/2017	52	1	Manganese	Quarterly	2.33	mg/l	NA	NA	
11/01/2017	52	1	Mercury	Quarterly	<0.0001	mg/l	NA	NA	
11/01/2017	52	1	Nickel	Every 6 months	0.113	mg/l	NA	NA	
11/01/2017	52	1	Nitrate	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	52	1	Nitrite	Quarterly	<0.10	mg/l	NA	NA	
11/01/2017	52	1	Nitrogen (ammonia)	Quarterly	35.2	mg/l	NA	NA	
11/01/2017	52	1	Nitrogen (Total)	Quarterly	54	mg/l	NA	NA	
11/01/2017	52	1	pH	Quarterly	7.02	pH Unit	NA	NA	
11/01/2017	52	1	Phosphorus (total)	Quarterly	6.56	mg/l	NA	NA	
11/01/2017	52	1	Polycyclic aromatic hydrocarbons	Every 6 months	0.0606	mg/l	NA	NA	
11/01/2017	52	1	Potassium	Quarterly	185	mg/l	NA	NA	
11/01/2017	52	1	Redox Potential	Quarterly	-189.5	mV	NA	NA	
11/01/2017	52	1	Selenium	Yearly	<0.01	mg/l	NA	NA	
11/01/2017	52	1	Silica	Yearly	32.3	mg/l	NA	NA	
11/01/2017	52	1	Silver	Yearly	<0.001	mg/l	NA	NA	
11/01/2017	52	1	Sodium	Quarterly	1910	mg/l	NA	NA	
11/01/2017	52	1	Sulfate	Quarterly	452	mg/l	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
11/01/2017	52	1	Tin	Every 6 months	0.002	mg/l	NA	NA	
11/01/2017	52	1	Total Dissolved Solids	Quarterly	7940	mg/l	NA	NA	
11/01/2017	52	1	Total Organic Carbon	Quarterly	805	mg/l	NA	NA	
11/01/2017	52	1	Total Phenolics	Quarterly	0.788	mg/l	NA	NA	
11/01/2017	52	1	Zinc	Quarterly	0.512	mg/l	NA	NA	
21/12/2016	53	1	Adsorbable Organic Halogens	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Alkalinity (as calcium Carbonate)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Aluminium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Arsenic	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Barium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Benzene	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Bicarbonate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Biological oxygen Demand	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Cadmium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Calcium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Chemical Oxygen Demand	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Chloride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Chlorinated Hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Chromium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Conductivity	Quarterly		µS/cm	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Copper	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Dissolved Oxygen	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Fluoride	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Lead	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Magnesium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Manganese	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Mercury	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Nickel	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Nitrate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Nitrite	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Nitrogen (ammonia)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Nitrogen (Total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	pH	Quarterly		pH Unit	NA	NA	No liquid available for extraction during monitoring.



Pollutant Monitoring Results - General Pollutant

Environmental Protection
Licence Number:

4068

Licencee Name:

SUEZ

Facility Address:

1725 Elizabeth Drive,
KEMPS CREEK, NSW, 2178

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
21/12/2016	53	1	Phosphorus (total)	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Polycyclic aromatic hydrocarbons	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Potassium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Redox Potential	Quarterly		mV	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Selenium	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Silica	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Silver	Yearly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Sodium	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Sulfate	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Tin	Every 6 months		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Total Dissolved Solids	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Total Organic Carbon	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Total Phenolics	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.
21/12/2016	53	1	Zinc	Quarterly		mg/l	NA	NA	No liquid available for extraction during monitoring.