



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	41	1	Adsorbable Organic Halogens	Quartely	1.7	mg/L	N/A	N	
30/03/2016	41	1	Alkalinity (as calcium Carbonate)	Quartely	6750	mg/L	N/A	N	
30/03/2016	41	1	Aluminium	Quartely	<0.10	mg/L	N/A	N	
30/03/2016	41	1	Arsenic	Quartely	0.341	mg/L	N/A	N	
30/03/2016	41	1	Barium	Quartely	0.087	mg/L	N/A	N	
30/03/2016	41	1	Bicarbonate	Quartely	3250	mg/L	N/A	N	
30/03/2016	41	1	Biological oxygen Demand	Quartely	429	mg/L	N/A	N	
30/03/2016	41	1	Cadmium	Quartely	<0.0010	mg/L	N/A	N	
30/03/2016	41	1	Calcium	Quartely	16	mg/L	N/A	N	
30/03/2016	41	1	Chloride	Quartely	8740	mg/L	N/A	N	
30/03/2016	41	1	Chromium	Quartely	0.073	mg/L	N/A	N	
30/03/2016	41	1	Conductivity	Quartely	41400	µS/cm	N/A	N	
30/03/2016	41	1	Copper	Quartely	1.18	mg/L	N/A	N	
13/04/2016	41	1	Dissolved Oxygen	Quartely	--	mg/L	N/A	N	
30/03/2016	41	1	Fluoride	Quartely	4.2	mg/L	N/A	N	
30/03/2016	41	1	Lead	Quartely	0.015	mg/L	N/A	N	
30/03/2016	41	1	Manganese	Quartely	0.122	mg/L	N/A	N	
30/03/2016	41	1	Magnesium	Quartely	284	mg/L	N/A	N	
30/03/2016	41	1	Mercury	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	41	1	Nitrate	Quartely	0.04	mg/L	N/A	N	
30/03/2016	41	1	Nitrite	Quartely	<0.01	mg/L	N/A	N	
30/03/2016	41	1	Nitrogen (ammonia)	Quartely	2110	mg/L	N/A	N	
30/03/2016	41	1	Nitrogen (Total)	Quartely	2300	mg/L	N/A	N	
30/03/2016	41	1	pH	Quartely	9.05	pH Unit	N/A	N	
30/03/2016	41	1	Phosphorus (total)	Quartely	3.05	mg/L	N/A	N	
30/03/2016	41	1	Potassium	Quartely	3700	mg/L	N/A	N	
30/03/2016	41	1	Redox Potential	Quartely	-402	mV	N/A	N	
30/03/2016	41	1	Sodium	Quartely	3810	mg/L	N/A	N	
30/03/2016	41	1	Sulfate	Quartely	3990	mg/L	N/A	N	
30/03/2016	41	1	Total Dissolved Solids	Quartely	26600	mg/L	N/A	N	
30/03/2016	41	1	Total Organic Carbon	Quartely	464	mg/L	N/A	N	
30/03/2016	41	1	Total Phenolics	Quartely	0.62	mg/L	N/A	N	
30/03/2016	41	1	Zinc	Quartely	0.698	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: 4068

Licensee Name: SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address: 1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	26	1	Adsorbable Organic Halogens	Quartely	3.6	mg/L	N/A	N	
30/03/2016	26	1	Alkalinity (as calcium Carbonate)	Quartely	5250	mg/L	N/A	N	
30/03/2016	26	1	Aluminium	Quartely	0.14	mg/L	N/A	N	
30/03/2016	26	1	Arsenic	Quartely	0.037	mg/L	N/A	N	
30/03/2016	26	1	Barium	Quartely	3.91	mg/L	N/A	N	
30/03/2016	26	1	Bicarbonate	Quartely	5250	mg/L	N/A	N	
30/03/2016	26	1	Biological oxygen Demand	Quartely	73	mg/L	N/A	N	
30/03/2016	26	1	Cadmium	Quartely	<0.0010	mg/L	N/A	N	
30/03/2016	26	1	Calcium	Quartely	50	mg/L	N/A	N	
30/03/2016	26	1	Chloride	Quartely	30400	mg/L	N/A	N	
30/03/2016	26	1	Chromium	Quartely	0.11	mg/L	N/A	N	
30/03/2016	26	1	Conductivity	Quartely	87500	µS/cm	N/A	N	
30/03/2016	26	1	Copper	Quartely	0.163	mg/L	N/A	N	
13/04/2016	26	1	Dissolved Oxygen	Quartely	--	mg/L	N/A	N	
30/03/2016	26	1	Fluoride	Quartely	1.5	mg/L	N/A	N	
30/03/2016	26	1	Lead	Quartely	0.011	mg/L	N/A	N	
30/03/2016	26	1	Manganese	Quartely	0.146	mg/L	N/A	N	
30/03/2016	26	1	Magnesium	Quartely	353	mg/L	N/A	N	
30/03/2016	26	1	Mercury	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	26	1	Nitrate	Quartely	0.18	mg/L	N/A	N	
30/03/2016	26	1	Nitrite	Quartely	0.44	mg/L	N/A	N	
30/03/2016	26	1	Nitrogen (ammonia)	Quartely	1260	mg/L	N/A	N	
30/03/2016	26	1	Nitrogen (Total)	Quartely	1290	mg/L	N/A	N	
30/03/2016	26	1	pH	Quartely	7.57	pH Unit	N/A	N	
30/03/2016	26	1	Phosphorus (total)	Quartely	4.85	mg/L	N/A	N	
30/03/2016	26	1	Potassium	Quartely	4270	mg/L	N/A	N	
30/03/2016	26	1	Redox Potential	Quartely	80.2	mV	N/A	N	
30/03/2016	26	1	Sodium	Quartely	14800	mg/L	N/A	N	
30/03/2016	26	1	Sulfate	Quartely	<10	mg/L	N/A	N	
30/03/2016	26	1	Total Dissolved Solids	Quartely	74400	mg/L	N/A	N	
30/03/2016	26	1	Total Organic Carbon	Quartely	962	mg/L	N/A	N	
30/03/2016	26	1	Total Phenolics	Quartely	<0.05	mg/L	N/A	N	
30/03/2016	26	1	Zinc	Quartely	0.293	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	43	1	Adsorbable Organic Halogens	Quartely	1	mg/L	N/A	N	
30/03/2016	43	1	Alkalinity (as calcium Carbonate)	Quartely	4750	mg/L	N/A	N	
30/03/2016	43	1	Aluminium	Quartely	0.22	mg/L	N/A	N	
30/03/2016	43	1	Arsenic	Quartely	0.016	mg/L	N/A	N	
30/03/2016	43	1	Barium	Quartely	0.286	mg/L	N/A	N	
30/03/2016	43	1	Bicarbonate	Quartely	4750	mg/L	N/A	N	
30/03/2016	43	1	Biological oxygen Demand	Quartely	52	mg/L	N/A	N	
30/03/2016	43	1	Cadmium	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	43	1	Calcium	Quartely	70	mg/L	N/A	N	
30/03/2016	43	1	Chloride	Quartely	3910	mg/L	N/A	N	
30/03/2016	43	1	Chromium	Quartely	0.138	mg/L	N/A	N	
30/03/2016	43	1	Conductivity	Quartely	16600	µS/cm	N/A	N	
30/03/2016	43	1	Copper	Quartely	0.01	mg/L	N/A	N	
14/04/2016	43	1	Dissolved Oxygen	Quartely	6.8	mg/L	N/A	N	
30/03/2016	43	1	Fluoride	Quartely	1.5	mg/L	N/A	N	
30/03/2016	43	1	Lead	Quartely	0.004	mg/L	N/A	N	
30/03/2016	43	1	Manganese	Quartely	0.184	mg/L	N/A	N	
30/03/2016	43	1	Magnesium	Quartely	307	mg/L	N/A	N	
30/03/2016	43	1	Mercury	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	43	1	Nitrate	Quartely	2.49	mg/L	N/A	N	
30/03/2016	43	1	Nitrite	Quartely	0.1	mg/L	N/A	N	
30/03/2016	43	1	Nitrogen (ammonia)	Quartely	434	mg/L	N/A	N	
30/03/2016	43	1	Nitrogen (Total)	Quartely	434	mg/L	N/A	N	
30/03/2016	43	1	pH	Quartely	8.27	pH Unit	N/A	N	
30/03/2016	43	1	Phosphorus (total)	Quartely	2.49	mg/L	N/A	N	
30/03/2016	43	1	Potassium	Quartely	159	mg/L	N/A	N	
30/03/2016	43	1	Redox Potential	Quartely	110	mV	N/A	N	
30/03/2016	43	1	Sodium	Quartely	2490	mg/L	N/A	N	
30/03/2016	43	1	Sulfate	Quartely	<10	mg/L	N/A	N	
30/03/2016	43	1	Total Dissolved Solids	Quartely	9130	mg/L	N/A	N	
30/03/2016	43	1	Total Organic Carbon	Quartely	205	mg/L	N/A	N	
30/03/2016	43	1	Total Phenolics	Quartely	<0.05	mg/L	N/A	N	
30/03/2016	43	1	Zinc	Quartely	0.03	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licensee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	44	1	Adsorbable Organic Halogens	Quartely	1.3	mg/L	N/A	N	
30/03/2016	44	1	Alkalinity (as calcium Carbonate)	Quartely	6120	mg/L	N/A	N	
30/03/2016	44	1	Aluminium	Quartely	0.29	mg/L	N/A	N	
30/03/2016	44	1	Arsenic	Quartely	0.124	mg/L	N/A	N	
30/03/2016	44	1	Barium	Quartely	1.17	mg/L	N/A	N	
30/03/2016	44	1	Bicarbonate	Quartely	6120	mg/L	N/A	N	
30/03/2016	44	1	Biological oxygen Demand	Quartely	92	mg/L	N/A	N	
30/03/2016	44	1	Cadmium	Quartely	0.0001	mg/L	N/A	N	
30/03/2016	44	1	Calcium	Quartely	76	mg/L	N/A	N	
30/03/2016	44	1	Chloride	Quartely	4790	mg/L	N/A	N	
30/03/2016	44	1	Chromium	Quartely	0.272	mg/L	N/A	N	
30/03/2016	44	1	Conductivity	Quartely	21300	µS/cm	N/A	N	
30/03/2016	44	1	Copper	Quartely	0.114	mg/L	N/A	N	
13/04/2016	44	1	Dissolved Oxygen	Quartely	--	mg/L	N/A	N	
30/03/2016	44	1	Fluoride	Quartely	1.6	mg/L	N/A	N	
30/03/2016	44	1	Lead	Quartely	0.004	mg/L	N/A	N	
30/03/2016	44	1	Manganese	Quartely	0.42	mg/L	N/A	N	
30/03/2016	44	1	Magnesium	Quartely	330	mg/L	N/A	N	
30/03/2016	44	1	Mercury	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	44	1	Nitrate	Quartely	22.4	mg/L	N/A	N	
30/03/2016	44	1	Nitrite	Quartely	0.38	mg/L	N/A	N	
30/03/2016	44	1	Nitrogen (ammonia)	Quartely	657	mg/L	N/A	N	
30/03/2016	44	1	Nitrogen (Total)	Quartely	742	mg/L	N/A	N	
30/03/2016	44	1	pH	Quartely	7.95	pH Unit	N/A	N	
30/03/2016	44	1	Phosphorus (total)	Quartely	5.98	mg/L	N/A	N	
30/03/2016	44	1	Potassium	Quartely	334	mg/L	N/A	N	
30/03/2016	44	1	Redox Potential	Quartely	87.3	mV	N/A	N	
30/03/2016	44	1	Sodium	Quartely	3300	mg/L	N/A	N	
30/03/2016	44	1	Sulfate	Quartely	<10	mg/L	N/A	N	
30/03/2016	44	1	Total Dissolved Solids	Quartely	12800	mg/L	N/A	N	
30/03/2016	44	1	Total Organic Carbon	Quartely	257	mg/L	N/A	N	
30/03/2016	44	1	Total Phenolics	Quartely	0.24	mg/L	N/A	N	
30/03/2016	44	1	Zinc	Quartely	0.169	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	52	1	Adsorbable Organic Halogens	Quartely	5.7	mg/L	N/A	N	
30/03/2016	52	1	Alkalinity (as calcium Carbonate)	Quartely	3380	mg/L	N/A	N	
30/03/2016	52	1	Aluminium	Quartely	0.17	mg/L	N/A	N	
30/03/2016	52	1	Arsenic	Quartely	2	mg/L	N/A	N	
30/03/2016	52	1	Barium	Quartely	0.456	mg/L	N/A	N	
30/03/2016	52	1	Bicarbonate	Quartely	3380	mg/L	N/A	N	
30/03/2016	52	1	Biological oxygen Demand	Quartely	40	mg/L	N/A	N	
30/03/2016	52	1	Cadmium	Quartely	<0.0010	mg/L	N/A	N	
30/03/2016	52	1	Calcium	Quartely	174	mg/L	N/A	N	
30/03/2016	52	1	Chloride	Quartely	13600	mg/L	N/A	N	
30/03/2016	52	1	Chromium	Quartely	0.034	mg/L	N/A	N	
30/03/2016	52	1	Conductivity	Quartely	45100	µS/cm	N/A	N	
30/03/2016	52	1	Copper	Quartely	0.113	mg/L	N/A	N	
13/04/2016	52	1	Dissolved Oxygen	Quartely	--	mg/L	N/A	N	
30/03/2016	52	1	Fluoride	Quartely	4.2	mg/L	N/A	N	
30/03/2016	52	1	Lead	Quartely	<0.010	mg/L	N/A	N	
30/03/2016	52	1	Manganese	Quartely	1.08	mg/L	N/A	N	
30/03/2016	52	1	Magnesium	Quartely	301	mg/L	N/A	N	
30/03/2016	52	1	Mercury	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	52	1	Nitrate	Quartely	0.31	mg/L	N/A	N	
30/03/2016	52	1	Nitrite	Quartely	0.07	mg/L	N/A	N	
30/03/2016	52	1	Nitrogen (ammonia)	Quartely	222	mg/L	N/A	N	
30/03/2016	52	1	Nitrogen (Total)	Quartely	224	mg/L	N/A	N	
30/03/2016	52	1	pH	Quartely	7.8	pH Unit	N/A	N	
30/03/2016	52	1	Phosphorus (total)	Quartely	5.64	mg/L	N/A	N	
30/03/2016	52	1	Potassium	Quartely	1800	mg/L	N/A	N	
30/03/2016	52	1	Redox Potential	Quartely	11	mV	N/A	N	
30/03/2016	52	1	Sodium	Quartely	8780	mg/L	N/A	N	
30/03/2016	52	1	Sulfate	Quartely	2670	mg/L	N/A	N	
30/03/2016	52	1	Total Dissolved Solids	Quartely	34600	mg/L	N/A	N	
30/03/2016	52	1	Total Organic Carbon	Quartely	507	mg/L	N/A	N	
30/03/2016	52	1	Total Phenolics	Quartely	0.16	mg/L	N/A	N	
30/03/2016	52	1	Zinc	Quartely	0.125	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	28	1	Adsorbable Organic Halogens	Quartely	1.2	mg/L	N/A	N	
30/03/2016	28	1	Alkalinity (as calcium Carbonate)	Quartely	1430	mg/L	N/A	N	
30/03/2016	28	1	Aluminium	Quartely	0.15	mg/L	N/A	N	
30/03/2016	28	1	Arsenic	Quartely	0.09	mg/L	N/A	N	
30/03/2016	28	1	Barium	Quartely	0.111	mg/L	N/A	N	
30/03/2016	28	1	Bicarbonate	Quartely	1430	mg/L	N/A	N	
30/03/2016	28	1	Biological oxygen Demand	Quartely	33	mg/L	N/A	N	
30/03/2016	28	1	Cadmium	Quartely	0.0004	mg/L	N/A	N	
30/03/2016	28	1	Calcium	Quartely	223	mg/L	N/A	N	
30/03/2016	28	1	Chloride	Quartely	6010	mg/L	N/A	N	
30/03/2016	28	1	Chromium	Quartely	0.027	mg/L	N/A	N	
30/03/2016	28	1	Conductivity	Quartely	21700	µS/cm	N/A	N	
30/03/2016	28	1	Copper	Quartely	0.356	mg/L	N/A	N	
13/04/2016	28	1	Dissolved Oxygen	Quartely	--	mg/L	N/A	N	
30/03/2016	28	1	Fluoride	Quartely	1.8	mg/L	N/A	N	
30/03/2016	28	1	Lead	Quartely	0.008	mg/L	N/A	N	
30/03/2016	28	1	Manganese	Quartely	1.54	mg/L	N/A	N	
30/03/2016	28	1	Magnesium	Quartely	208	mg/L	N/A	N	
30/03/2016	28	1	Mercury	Quartely	<0.0001	mg/L	N/A	N	
30/03/2016	28	1	Nitrate	Quartely	0.03	mg/L	N/A	N	
30/03/2016	28	1	Nitrite	Quartely	0.02	mg/L	N/A	N	
30/03/2016	28	1	Nitrogen (ammonia)	Quartely	293	mg/L	N/A	N	
30/03/2016	28	1	Nitrogen (Total)	Quartely	254	mg/L	N/A	N	
30/03/2016	28	1	pH	Quartely	7.52	pH Unit	N/A	N	
30/03/2016	28	1	Phosphorus (total)	Quartely	1.74	mg/L	N/A	N	
30/03/2016	28	1	Potassium	Quartely	1490	mg/L	N/A	N	
30/03/2016	28	1	Redox Potential	Quartely	127	mV	N/A	N	
30/03/2016	28	1	Sodium	Quartely	2520	mg/L	N/A	N	
30/03/2016	28	1	Sulfate	Quartely	1340	mg/L	N/A	N	
30/03/2016	28	1	Total Dissolved Solids	Quartely	11400	mg/L	N/A	N	
30/03/2016	28	1	Total Organic Carbon	Quartely	226	mg/L	N/A	N	
30/03/2016	28	1	Total Phenolics	Quartely	<0.05	mg/L	N/A	N	
30/03/2016	28	1	Zinc	Quartely	0.313	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	27	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	27	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	29	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	29	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry





## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	30	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	30	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	36	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	36	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	37	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	37	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	38	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	38	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	39	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	39	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	40	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	40	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	42	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	42	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry



## Pollutant Monitoring Results - General Pollutant

Environmental Protection  
Licence Number:

4068

Licencee Name:

SUEZ Australia  
Level 3, 3 Rider Blvd,  
Rhodes, 2138

Facility Address:

1725 Elizabeth Drive,  
Kemps Creek, 2178

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
30/03/2016	53	1	Adsorbable Organic Halogens	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Alkalinity (as calcium Carbonate)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Aluminium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Arsenic	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Barium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Bicarbonate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Biological oxygen Demand	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Cadmium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Calcium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Chloride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Chromium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Conductivity	Quartely	NT	µS/cm	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Copper	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Dissolved Oxygen	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Fluoride	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Lead	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Manganese	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Magnesium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Mercury	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Nitrate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Nitrite	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Nitrogen (ammonia)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Nitrogen (Total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	pH	Quartely	NT	pH Unit	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Phosphorus (total)	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Potassium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Redox Potential	Quartely	NT	mV	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Sodium	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Sulfate	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Total Dissolved Solids	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Total Organic Carbon	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Total Phenolics	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry
30/03/2016	53	1	Zinc	Quartely	NT	mg/L	N/A	N	NT - Not Tested as monitoring point dry