

Environment Protection Licence

Licence - 5065

Licence Details

Number:	5065
Anniversary Date:	21-August

Licensee

SUEZ RECYCLING & RECOVERY PTY LTD

LOCKED BAG 5015

KINGSGROVE DC NSW 2208

Premises

LUCAS HEIGHTS RESOURCE RECOVERY PARK

NEW ILLAWARRA ROAD

LUCAS HEIGHTS NSW 2234

Scheduled Activity

Waste disposal (application to land)

Waste processing (non-thermal treatment)

Waste storage

Fee Based Activity

Scale

Non-thermal treatment of liquid waste	Any annual processing capacity
Waste disposal by application to land	Any capacity
Waste storage - other types of waste	Any other types of waste stored
Waste storage - waste tyres	> Any tyres stored

Region

Waste & Resource Recovery

59-61 Goulburn Street

SYDNEY NSW 2000

Phone: (02) 9995 5000

Fax: (02) 9995 5999

PO Box A290

SYDNEY SOUTH NSW 1232

Environment Protection Licence



Licence - 5065

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Other activities	7
A4 Information supplied to the EPA	7
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	12
L1 Pollution of waters	12
L2 Concentration limits	12
L3 Waste	13
L4 Hours of operation	14
L5 Potentially offensive odour	15
4 OPERATING CONDITIONS	15
O1 Activities must be carried out in a competent manner	15
O2 Maintenance of plant and equipment	15
O3 Dust	15
O4 Processes and management	16
O5 Waste management	16
O6 Other operating conditions	18
5 MONITORING AND RECORDING CONDITIONS	19
M1 Monitoring records	19
M2 Requirement to monitor concentration of pollutants discharged	20
M3 Testing methods - concentration limits	24
M4 Weather monitoring	24



Environment Protection Licence

Licence - 5065

M5	Recording of pollution complaints	25
M6	Telephone complaints line	25
M7	Requirement to monitor volume or mass	26
M8	Other monitoring and recording conditions	26
6	REPORTING CONDITIONS	27
R1	Annual return documents	27
R2	Notification of environmental harm	28
R3	Written report	29
R4	Other reporting conditions	29
7	GENERAL CONDITIONS	30
G1	Copy of licence kept at the premises or plant	30
G2	Other general conditions	30
8	POLLUTION STUDIES AND REDUCTION PROGRAMS	31
U1	Odour Risk Reduction Study	31
9	SPECIAL CONDITIONS	32
E1	Requirement To Maintain Financial Assurance	32
E2	Environmental Obligations of Licensee (Works and Programs)	32
E3	EPA May Claim On a Financial Assurance	33
E4	Final Capping Layer	33
E5	Expansion of Landfill Gas Field Infrastructure	33
E6	Construction of Landfill - Dual Gas and Leachate Trench	34
E7	Reprofiling (overtopping) works	34
E8	Special Dictionary	35
DICTIONARY	36
	General Dictionary	36

Environment Protection Licence

Licence - 5065



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Environment Protection Licence

Licence - 5065



The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

SUEZ RECYCLING & RECOVERY PTY LTD
LOCKED BAG 5015
KINGSGROVE DC NSW 2208

subject to the conditions which follow.

Environment Protection Licence

Licence - 5065

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Waste processing (non-thermal treatment)	Non-thermal treatment of liquid waste	Any annual processing capacity
Waste disposal (application to land)	Waste disposal by application to land	Any capacity
Waste storage	Waste storage - other types of waste	Any other types of waste stored
Waste storage	Waste storage - waste tyres	> tyres stored

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
LUCAS HEIGHTS RESOURCE RECOVERY PARK
NEW ILLAWARRA ROAD
LUCAS HEIGHTS
NSW 2234
LOT 1 DP 233333, LOT 2 DP 605077, PART LOT 101 DP 1009354, LOT 3 DP 1032102, LOT 111 DP 1050235, LOT 4 DP 1149334, LOT 6 DP 1149334
EXCLUDING AREA DEFINED BY RED BOUNDARY AND LABELLED AS "GARDEN ORGANICS AREA" ON MAP TITLED "PLAN SHOWING THE POSITION OF THE "GARDEN ORGANICS AREAS" WITHIN LOT 101 IN DP1009354 AT THE LUCAS HEIGHTS 2 WASTE PROCESSING FACILITY", REFERENCE 12415 ISSUE A, AND DATED 3 MARCH 2011.
EXCLUDING PART LOT 101 DP1009354 SHOWN ON THE MAP RECEIVED BY THE EPA ON 6 MAY 2009 AND TITLED "PLAN SHOWING AREA LICENSED TO PCYC PART LOT 101 IN DP1009354 LUCAS HEIGHTS", DATED 28 APRIL 2009 AND MARKED AS PROPOSED NEW BIKE TRACK AREA. MAP REF: 11925.

A2.2 The premises also includes the areas in a 10 metre radius of all infrastructure in connection to the operation of the gas wells associated with the landfill identified at A2.1 excluding any infrastructure within the area defined as the Premises of Environment Protection Licence no. 6345 and the

Environment Protection Licence

Licence - 5065



Premises of Environment Protection Licence no. 4805.

During gas well maintenance, the premises at the gas well head comprises an area of 18 metre radius from the well head.

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

Ancillary Activity
Crushing, grinding or separating

A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

<i>Air</i>			
EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
28	Subsurface Gas Monitoring Point - MB036SG		Eastern boundary, adjacent to site office and weighbridge. Gas Monitoring point labelled "MB036" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191

Environment Protection Licence

Licence - 5065



29	Subsurface Gas Monitoring Point - MB037SG	Eastern Boundary, adjacent to site office and weighbridge. Gas Monitoring Point labelled "MB037" on map titled "Figure 2: Site plan showing the location of gas bores", prepared by CES and dated 17 June 2008, 312897E 6230983N.
30	Subsurface Gas Monitoring Point - MB042SG	North Western boundary, behind demountable office. Gas Monitoring point labelled "MB042" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
31	Subsurface Gas Monitoring Point - MB043SG	North Western boundary, behind demountable office. Gas Monitoring point labelled "MB043" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
32	Subsurface Gas Monitoring Point - MB046SG	South Eastern corner of site, adjacent to New Illawarra Rd. Gas Monitoring point labelled "MB046SG" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
33	Subsurface Gas Monitoring Point - MB047SG	South Eastern corner of site, adjacent to New Illawarra Rd. Gas Monitoring point labelled "MB047SG" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
51	Subsurface Gas Monitoring Point - MB036-1	Gas monitoring point labelled "MB036-1" on map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
52	Subsurface Gas Monitoring Point - MB037-1	Gas monitoring point labelled "MB037-1" on map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
53	Subsurface Gas Monitoring Point - MB048SG	Gas monitoring point labelled "MB048SG" on map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
54	Subsurface Gas Monitoring Point - MB049SG	Gas monitoring point labelled "MB049SG" on map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191

P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

Environment Protection Licence

Licence - 5065



EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to waters Overflow quality monitoring - MC1	Discharge to waters Overflow quality monitoring - MC1	Discharge point at Mill Creek labelled "MC1" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
3	Leachate quality monitoring - LD001		Surface Water Monitoring Point from Leachate Dam labelled "LD001" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
4	Groundwater quality monitoring - MB008		Groundwater Monitoring Point labelled "MB008" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
7	Groundwater quality monitoring - MB032		Groundwater Monitoring Point labelled as "MB032" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
8	Groundwater quality monitoring - MB034		Groundwater Monitoring Point labelled as "MB034" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
16	Groundwater quality monitoring - MB305		Groundwater Monitoring Point labelled "MB305" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
17	Groundwater quality monitoring - MB306		Groundwater Monitoring Point labelled "MB306" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
18	Groundwater quality monitoring - MB033		Groundwater Monitoring Point labelled as "MB033" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
19	Groundwater quality monitoring - MB035		Groundwater Monitoring Point labelled as "MB035" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
20	Pumped Discharge from Sediment Dam 5 - DS002	Pumped Discharge from Sediment Dam 5 - DS002	Discharge Point from Sediment Dam 5 labelled as "DS002" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191

Environment Protection Licence

Licence - 5065



21	Pumped Discharge from Stormwater Treatment Plant - DS001	Pumped Discharge from Stormwater Treatment Plant - DS001	Discharge Point from Stormwater Treatment Plant adjacent to Sediment Dam 5. Labelled as "DS001" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
22	Overflow from Sediment Dam 5 - OF001	Overflow from Sediment Dam 5 - OF001	Monitoring Point for Overflow from Sediment Dam 5, labelled as "OF001" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
23	Sediment Dam 5 - SD005		Surface Water Monitoring Point from Sediment Dam labelled as "SD005" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
24	Groundwater quality monitoring - MB038		Groundwater Monitoring Point labelled "MB038" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
25	Groundwater quality monitoring - MB039		Groundwater Monitoring Point labelled "MB039" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
26	Groundwater quality monitoring - MB040		Groundwater Monitoring Point labelled "MB040" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
27	Groundwater quality monitoring - MB041		Groundwater Monitoring Point labelled "MB041" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
40	Leachate quality monitoring - LH1DAM		Surface Water Monitoring Point from Leachate Dam labelled "LH1DAM" on map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
41	Leachate flow monitoring - LH2 Leachate Flow Meter		Leachate Flow Monitoring Point within the LH2 leachate dam holding tanks compound labelled "LH2 FLOW METER" on map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191

Environment Protection Licence

Licence - 5065



42	Leachate flow monitoring - LH1 Leachate Flow Meter	Leachate Flow Monitoring Point located within the LH1 sump compound labelled as "LH1 FLOW METER" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
43	Leachate flow monitoring - Harrington's Quarry Leachate Flow Meter	Leachate Flow Monitoring Point located at the second gate on Little Forest Road referred to as Harrington's Corner Gate labelled as "HARRINGTON'S" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
44	Groundwater quality monitoring - MB023	Groundwater monitoring point labelled as "MB023" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
45	Groundwater quality monitoring - MB044	Groundwater monitoring point labelled as "MB044" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
46	Groundwater quality monitoring - MB045	Groundwater monitoring point labelled "MB045" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
47	Groundwater quality monitoring - MB046	Groundwater monitoring point labelled as "MB046" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
48	Groundwater quality monitoring - MB047	Groundwater monitoring point labelled as "MB047" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
49	Groundwater quality monitoring - MB048	Groundwater monitoring point labelled as "MB048" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191
50	Groundwater quality monitoring - MB049	Groundwater monitoring point labelled as "MB049" on Map showing monitoring points. Map ref: 32438, version sent to EPA on 5/12/18. EPA Ref: DOC17/605191

Environment Protection Licence

Licence - 5065

3 Limit Conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

L2.1 For each monitoring/discharge point or utilisation area specified in the table\ below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.

L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.

L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\.

L2.4 Water and/or Land Concentration Limits

POINT 1

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
Conductivity	microsiemens per centimetre				1500
Dissolved Oxygen	milligrams per litre				6
Nitrogen (ammonia)	milligrams per litre				2.5
pH	pH				5.5-8.5
Phenol	milligrams per litre				0.32
TSS	milligrams per litre				50

POINT 20,21,22

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
-----------	------------------	-----------------------------------	-----------------------------------	--------------------------	------------------------------------

Environment Protection Licence



Licence - 5065

Nitrogen (ammonia)	milligrams per litre	2.5
TSS	milligrams per litre	50

L2.5 The licensee is taken not to have breached the licence total suspended solids concentration limits for Point 1 and Point 22 if:

- a) the overflow is caused by a rainfall event; and
- b) the licensee has taken all practical measures to avoid and minimise water pollution.

L3 Waste

L3.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled "Waste" and meeting the definition, if any, in the column titled "Description" in the table below.

Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled "Activity" in the table below.

Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled "Other Limits" in the table below.

This condition does not limit any other conditions in this licence.

Code	Waste	Description	Activity	Other Limits
NA	General solid waste (putrescible)	As defined in Schedule 1 of the POEO Act, as in force from time to time.	Waste storage Waste disposal (application to land)	NA
NA	General solid waste (non-putrescible)	As defined in Schedule 1 of the POEO Act, as in force from time to time.	Waste storage Waste disposal (application to land)	NA
NA	Asbestos waste	As defined in Schedule 1 of the POEO Act, as in force from time to time.	Waste storage Waste disposal (application to land)	NA
T140	Tyres	The tyre has a diameter of 1.2 metres or more; and/or the tyre has been shredded or had its walls removed; and/or the tyre was delivered to the premises as part of a domestic load. For the purposes of this description: · Tyres are taken to be shredded	Waste storage Waste disposal (application to land)	Tyres stockpiled on the premises must not exceed fifty (50) tonnes of tyres at any one time.

Environment Protection Licence

Licence - 5065



		only if the tyres are in pieces measuring no more than 250mm in any direction; and Domestic load means a load containing no more than 5 tyres having a diameter of less than 1.2 metres.		
NA	Leachate	Landfill leachate only generated at the premises known as "Harrington's Quarry" and "Lucas Heights 1" and conveyed via the leachate reticulation system to the Lucas Heights Leachate Treatment Plant	Waste processing (non-thermal treatment)	1500 kL/day
NA	Waste	Any waste received on site that is below licensing thresholds in Schedule 1 of the POEO Act, as in force from time to time	-	NA

- L3.2 If the licence permits the disposal of asbestos waste, the licensee must comply with Part 7 of the Protection of the Environment Operations (Waste) Regulation 2014.
- L3.3 The disposal of waste is permitted within Cell 5.3A, Cell 5.3B and Cell 5.3C. The disposal of waste is also permitted within Cell 5.1 and Cell 5.2 defined as areas " Stage 5-1" and "Stage 5-2" in the plan prepared for Suez Recycling and Recovery Pty Ltd by Mamdoh Ibrahim of PE Civil and titled "*Drawing number LH-160526-1-R0 Location of waste cells (stages)*" and dated 26 May 2016.
- L3.4 The disposal of waste is permitted within the areas marked "Area E", "Area D", "Area B" and "Area A" on the below plans received by the EPA on 12 October 2017:
Proposed Reprofiling Development Plan, Drawing Job number 21-23482, Landform marked "Phase 1" (Revision C, 3 July 2015) prepared by GHD,
Proposed Reprofiling Development Plan, Drawing Job number 21-23482, Landforms marked "Phase 2" and "Phase 3", (Revision C, 3 July 2017), prepared by GHD, and
Proposed Reprofiling Development Plan, Drawing Job number 21-23482, Landform marked "Phase 4", (Revision C, 3 July 2017), prepared by GHD.

L4 Hours of operation

- L4.1 The licensee must comply with the operating hours in the table below:

Environment Protection Licence

Licence - 5065

Activity	Day	Time
Construction	Monday to Friday	7 am - 5 pm
Construction	Saturday and Sunday	8 am - 5 pm
Landfilling operations	Monday to Friday	5 am - 5 pm
Landfilling operations	Saturday	6 am - 5pm
Landfilling operations	Sunday	8 am - 5 pm
Other landfilling operations	Monday to Sunday	Anytime

L5 Potentially offensive odour

L5.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:

- must be maintained in a proper and efficient condition; and
- must be operated in a proper and efficient manner.

O3 Dust

O3.1 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.

Environment Protection Licence

Licence - 5065



O4 Processes and management

Control Entry to Premises

O4.1 The licensee must take all practicable steps to control entry to the premises.

O5 Waste management

Incineration or Burning of any Waste

O5.1 There must be no incineration or burning of any waste at the premises.

Waste Recycling

O5.2 The licensee must ensure that, as much as practicable, recycling facilities are provided for the following materials:

- a) Glass – clear, brown and green;
- b) Paper and cardboard;
- c) Batteries;
- d) Sump engine oil;
- e) Aluminium and steel cans; and
- f) Reusable timber, firewood and green waste.

O5.3 Recycling facilities at the premises must be clearly marked and be available for access by the public.

Tyre Storage

O5.4 The licensee must ensure that stockpiles of used, rejected or unwanted tyres (including shredded tyres and tyre pieces) are located in a clearly defined area.

O5.5 The licensee must ensure that stockpiles of used, rejected or unwanted tyres (including shredded tyres and tyre pieces) are managed so as not to cause or to be likely to cause the spread of disease by vermin.

O5.6 The licensee must ensure that measures are taken to prevent stockpiles of used, rejected or unwanted tyres (including shredded tyres and tyre pieces) from catching on fire.

Covering of Waste

O5.7 a) Daily cover
Daily cover can be either:

- i) virgin excavated natural material (VENM); or
- ii) approved alternative daily cover (ADC) on active tipface only.

Note: For the purposes of condition O5.7 (a) (i) the cover material must be applied to a minimum depth of

Environment Protection Licence

Licence - 5065



15 centimetres over all exposed landfilled waste prior to ceasing landfilling operations at the end of each day.

Note: For the purposes of condition O5.7 (a) (ii) the approved ADC is the "Tarpomatic" Automatic Tarping Machine ("ATM") that achieves the Required Outcome specified in Chapter 8 (Covering of Waste) of the EPA's Environmental Guidelines: Solid Waste Landfills (2016).

b) Intermediate cover

Intermediate cover material must be VENM and applied to a depth of 30 centimetres over surfaces of the landfilled waste at the premises which are to be exposed for more than 90 days.

c) Cover material stockpile

At least two weeks of VENM cover material must be available at the premises under all weather conditions. This material may be won on site, or alternatively a cover stockpile must be maintained adjacent to the tip face.

O5.8 The licensee must progressively final cap completed stages of filling as soon as practicable.

Disposal of Immobilised Waste

O5.9 The licensee must cover the immobilised waste on the day of receipt.

Uncovering of Landfilled Waste

O5.10 The licensee must not carry out any activity that exposes previously landfilled waste at the premises, except as expressly permitted by a condition of this licence.

O5.11 A maximum area of 1 hectare of existing intermediate cover or 2 hectares of existing final capped cover may be stripped of cover in advance of landfilling to form the "Prepared Surface". The Prepared Surface must have a minimum depth of 300mm.

O5.12 Each day, a maximum of 2,500m² of the Prepared Surface may be stripped back to expose previously landfilled waste to form the "Active Tipface".

O5.13 The licensee must carry out works in accordance with the document titled Odour Management Plan for Landfill Gas Extraction Systems provided with the letter received from Waste Service NSW dated 28 June 2002.

Landfill Leachate

O5.14 Landfill leachate must not be irrigated except as expressly permitted by a condition of this licence.

O5.15 The licensee must not inject leachate back into the landfill waste.

O5.16 Leachate must be lawfully disposed of to sewer, or removed by tanker to a premises which may lawfully receive the leachate for treatment.

Landfill Gas

Environment Protection Licence

Licence - 5065



O5.17 Except in emergency conditions or short periods of shutdowns the licensee must ensure that landfill gas generated by the disposal of waste and collected at the premises is treated by oxidation to carbon dioxide.

O5.18 With the exception of the Prepared Surface, landfill gas field infrastructure located within the re-profiling area outlined at E7.1 must be retained and operating at all times.

O6 Other operating conditions

Management of Collected Groundwater

O6.1 The licensee must manage any groundwater extracted from groundwater depressurisation works in the same manner as leachate if the ammonia concentration in the groundwater is greater than 1 mg/L.

Household Chemical Collection Program

O6.2 Chemicals which have been collected in conjunction with a “Household Chemical Collection Program” must be stored in a secure and bunded location within the premises pending lawful off site disposal or recycling of these chemicals.

Closure Plan

O6.3 The licensee must prepare and submit to the EPA within twelve months prior to the last load of waste being landfilled, a closure plan in accordance with section 76 of the *Protection of the Environment Operations Act 1997*.

Preventing Fires

O6.4 All operations and activities occurring at the premises must be carried out in a manner that will prevent and minimise the risk of fire at the premises.

Management of Surface Waters

O6.5 Surface waters must be diverted away from any area where waste is being or has been landfilled.

O6.6 Suez must install and maintain freeboard markers in Sediment Dam 5. Freeboard markers must:

- indicate the 10ML settling zone,
- indicate 2ML increments,
- be permanently installed, and
- be positioned in location/s that allow freeboard verification.

O6.7 Sediment Dam 5 must be maintained at or below the base of the 10ML settling zone, except as specified in Condition O6.8.

O6.8 During 2 day 90th percentile rainfall events of 34.8mm or more, the stormwater treatment plant must be engaged, as soon as the event is known, to treat sediment laden water. A 10ML capacity settling

Environment Protection Licence

Licence - 5065



zone within Sediment Dam 5 must be re-established within 5 days of the rainfall event occurring.

Alternative Daily Cover Trial

O6.9 The licensee is permitted to undertake an Alternative Daily Cover trial at the tip face for six trial events over a 6 month period. Each trial event must be no longer than 24 hours.

The trial must be conducted in accordance with:

1. the letter from the licensee titled *RE Licence 5065 -- Trial Proposal for Recovered Fines use as Alternative Daily Cover* dated 27 June 2018 and received by the EPA on 27 June 2018, and
2. the EPA's *Environmental Guidelines: Solid Waste landfills* (2nd Edition, 2016).

O6.10 The 6 month period referred to in Condition O6.9 shall commence from the first day the Alternative Daily Cover is utilised at the Premises.

O6.11 The alternative daily cover used in the trial detailed at O6.9 must not contain asbestos, food waste, animal waste, grease trap waste, biosolids or vegetable matter.

O6.12 Within 30 days of the completion of the Alternative Daily Cover trial detailed at Condition O6.9, the licensee must provide to the Director Waste Compliance, NSW EPA, a report containing the outcomes of the trial.

The report must be submitted by email to waste.operations@epa.nsw.gov.au and must include, but need not be limited to:

1. an assessment of the effectiveness and consistency of the alternative daily cover in meeting the Required Outcomes for the covering of waste at Section 8 and any other relevant sections of the Environmental Guidelines, Solid Waste landfills (NSW EPA, Second Edition, 2016);
2. data relating to the analytical testing of the Alternative Daily Cover material including but not limited to particle size distribution, physical contaminant levels, asbestos, and waste classification requirements;
3. photographs of the Alternative Daily Cover prior to, during, and after placement at the tip face, and at stripping;
4. benchmarking the performance of the Alternative Daily Cover against virgin excavated natural material as daily cover; and
5. any other relevant findings of the trial.

5 Monitoring and Recording Conditions

M1 Monitoring records

M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.

Environment Protection Licence

Licence - 5065

M1.2 All records required to be kept by this licence must be:

- in a legible form, or in a form that can readily be reduced to a legible form;
- kept for at least 4 years after the monitoring or event to which they relate took place; and
- produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- the date(s) on which the sample was taken;
- the time(s) at which the sample was collected;
- the point at which the sample was taken; and
- the name of the person who collected the sample.

M1.4 The licensee must record the date, duration and volume of any leachate discharge to surface water.

M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

POINT 28,29,30,31,32,33,51,52,53,54

Pollutant	Units of measure	Frequency	Sampling Method
Carbon dioxide	percent by volume	Quarterly	Special Method 1
Methane	percent by volume	Quarterly	Special Method 1

M2.3 Water and/ or Land Monitoring Requirements

POINT 1

Pollutant	Units of measure	Frequency	Sampling Method
Conductivity	microsiemens per centimetre	Special Frequency 1	Probe
Dissolved Oxygen	milligrams per litre	Special Frequency 1	Probe
Nitrogen (ammonia)	milligrams per litre	Special Frequency 1	Grab sample
pH	pH	Special Frequency 1	Probe
Potassium	milligrams per litre	Special Frequency 1	Grab sample
Total dissolved solids	milligrams per litre	Special Frequency 1	Grab sample

Environment Protection Licence

Licence - 5065

Total organic carbon	milligrams per litre	Special Frequency 1	Grab sample
Total Phenolics	milligrams per litre	Special Frequency 1	Grab sample
Total suspended solids	milligrams per litre	Special Frequency 1	Grab sample

POINT 3,40

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Yearly	Grab sample
Aluminium	milligrams per litre	Yearly	Grab sample
Arsenic	milligrams per litre	Yearly	Grab sample
Barium	milligrams per litre	Yearly	Grab sample
Benzene	milligrams per litre	Yearly	Grab sample
Benzo(a)pyrene	milligrams per litre	Yearly	Grab sample
Bicarbonate alkalinity	milligrams per litre	Yearly	Grab sample
BOD	milligrams per litre	Yearly	Grab sample
Cadmium	milligrams per litre	Yearly	Grab sample
Calcium	milligrams per litre	Yearly	Grab sample
Chemical oxygen demand	milligrams per litre	Yearly	Grab sample
Chloride	milligrams per litre	Yearly	Grab sample
Chromium (hexavalent)	milligrams per litre	Yearly	Grab sample
Chromium (total)	milligrams per litre	Yearly	Grab sample
Cobalt	milligrams per litre	Yearly	Grab sample
Conductivity	microsiemens per centimetre	Quarterly	Probe
Copper	milligrams per litre	Yearly	Grab sample
Ethyl benzene	milligrams per litre	Yearly	Grab sample
Fluoride	milligrams per litre	Yearly	Grab sample
Lead	milligrams per litre	Yearly	Grab sample
Magnesium	milligrams per litre	Yearly	Grab sample
Manganese	milligrams per litre	Yearly	Grab sample
Mercury	milligrams per litre	Yearly	Grab sample
Nickel	milligrams per litre	Yearly	Grab sample
Nitrate	milligrams per litre	Yearly	Grab sample
Nitrite	milligrams per litre	Yearly	Grab sample
Nitrogen (ammonia)	milligrams per litre	Yearly	Grab sample
Organochlorine pesticides	milligrams per litre	Yearly	Grab sample
Organophosphate pesticides	milligrams per litre	Yearly	Grab sample
pH	pH	Quarterly	Probe
Phosphorus	milligrams per litre	Yearly	Grab sample
Polycyclic aromatic hydrocarbons	milligrams per litre	Yearly	Grab sample

Environment Protection Licence



Licence - 5065

Potassium	milligrams per litre	Yearly	Grab sample
Sodium	milligrams per litre	Yearly	Grab sample
Sulfate	milligrams per litre	Yearly	Grab sample
Toluene	milligrams per litre	Yearly	Grab sample
Total dissolved solids	milligrams per litre	Yearly	Grab sample
Total organic carbon	milligrams per litre	Yearly	Grab sample
Total petroleum hydrocarbons	milligrams per litre	Yearly	Grab sample
Total Phenolics	milligrams per litre	Yearly	Grab sample
Total suspended solids	milligrams per litre	Yearly	Grab sample
Xylene	milligrams per litre	Yearly	Grab sample
Zinc	milligrams per litre	Yearly	Grab sample

POINT 4,7,8,16,17,18,19,24,25,26,27,44,45,46,47,48,49,50

Pollutant	Units of measure	Frequency	Sampling Method
Alkalinity (as calcium carbonate)	milligrams per litre	Quarterly	Grab sample
Aluminium	milligrams per litre	Yearly	Grab sample
Arsenic	milligrams per litre	Yearly	Grab sample
Barium	milligrams per litre	Yearly	Grab sample
Benzene	milligrams per litre	Yearly	Grab sample
Benzo(a)pyrene	milligrams per litre	Yearly	Grab sample
Bicarbonate alkalinity	milligrams per litre	Quarterly	Grab sample
Cadmium	milligrams per litre	Yearly	Grab sample
Calcium	milligrams per litre	Quarterly	Grab sample
Chloride	milligrams per litre	Quarterly	Grab sample
Chromium (hexavalent)	milligrams per litre	Yearly	Grab sample
Chromium (total)	milligrams per litre	Yearly	Grab sample
Cobalt	milligrams per litre	Yearly	Grab sample
Copper	milligrams per litre	Yearly	Grab sample
Ethyl benzene	milligrams per litre	Yearly	Grab sample
Fluoride	milligrams per litre	Yearly	Grab sample
Lead	milligrams per litre	Yearly	Grab sample
Magnesium	milligrams per litre	Quarterly	Grab sample
Manganese	milligrams per litre	Yearly	Grab sample
Mercury	milligrams per litre	Yearly	Grab sample
Nickel	milligrams per litre	Yearly	Grab sample
Nitrate	milligrams per litre	Quarterly	Grab sample
Nitrite	milligrams per litre	Quarterly	Grab sample
Nitrogen (ammonia)	milligrams per litre	Quarterly	Grab sample
Organochlorine pesticides	milligrams per litre	Yearly	Grab sample

Environment Protection Licence

Licence - 5065

Organophosphate pesticides	milligrams per litre	Yearly	Grab sample
PCBs	milligrams per litre	Yearly	Grab sample
pH	pH	Quarterly	Probe
Phosphorus	milligrams per litre	Quarterly	Grab sample
Polycyclic aromatic hydrocarbons	milligrams per litre	Yearly	Grab sample
Potassium	milligrams per litre	Quarterly	Grab sample
Redox potential	millivolts	Quarterly	Grab sample
Selenium	milligrams per litre	Yearly	Grab sample
Sodium	milligrams per litre	Quarterly	Grab sample
Standing Water Level	metres	Quarterly	In situ
Sulfate	milligrams per litre	Quarterly	Grab sample
Temperature	degrees Celsius	Quarterly	Probe
Tetrachloroethene (tetrachloroethylene)	milligrams per litre	Yearly	Grab sample
Toluene	milligrams per litre	Yearly	Grab sample
Total dissolved solids	milligrams per litre	Quarterly	Grab sample
Total organic carbon	milligrams per litre	Quarterly	Grab sample
Total petroleum hydrocarbons	milligrams per litre	Yearly	Grab sample
Total Phenolics	milligrams per litre	Yearly	Grab sample
Trichloroethylene	milligrams per litre	Yearly	Grab sample
Xylene	milligrams per litre	Yearly	Grab sample
Zinc	milligrams per litre	Yearly	Grab sample

POINT 20,21

Pollutant	Units of measure	Frequency	Sampling Method
Nitrogen (ammonia)	milligrams per litre	Special Frequency 2	Grab sample
Total suspended solids	milligrams per litre	Special Frequency 2	Grab sample

POINT 22

Pollutant	Units of measure	Frequency	Sampling Method
Nitrogen (ammonia)	milligrams per litre	Special Frequency 1	Grab sample
Total suspended solids	milligrams per litre	Special Frequency 1	Grab sample

POINT 23

Pollutant	Units of measure	Frequency	Sampling Method
Nitrogen (ammonia)	milligrams per litre	Quarterly	Grab sample
Total suspended solids	milligrams per litre	Quarterly	Grab sample

Environment Protection Licence

Licence - 5065



M2.4 For the purposes of the table(s) above:

- a) Special Frequency 1 means: if discharges occur, the collection of samples within 24 hours of discharge;
- b) Special Frequency 2 means: the collection of samples at a minimum of weekly intervals during discharge; and
- c) Special Method 1 means in accordance with the methods outlined in the Lucas Heights 2 Resource Recovery Park Draft Landfill Gas Monitoring Programme prepared by GHD (Revision E, 20 August 2018).

M2.5 Where a specified Groundwater Monitoring Well licence point from the above tables at M2.3 is not available for sampling (such as when the bore is dry) and requires sampling Quarterly, an adjacent and/or representative Groundwater Monitoring Well may be alternatively sampled. Any variation from the tables above at M2.3 must be identified and justified in the required monitoring report and annual return.

M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2010* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Weather monitoring

Requirement to Monitor Meteorological Parameters

M4.1 The licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1. The applicant must use the sampling method, units of measure, averaging period and sample at the frequency, specified opposite in the other columns.

Environment Protection Licence

Licence - 5065



Parameter	Units of Measure	Frequency	Averaging Period	Sampling Method
Rainfall	mm	Continuous	1 Hour	AM-4
Wind Speed @ 10 metres	m/s	Continuous	15 Minute	AM-2 & AM-4
Wind Direction @ 10 metres	Degrees	Continuous	15 Minute	AM-2 & AM-4
Temperature	Degrees Celsius	Continuous	15 Minute	AM-4
Sigma theta @ 10 metres	Degrees	Continuous	15 Minute	AM-2 & AM-4
Solar Radiation	W/m2	Continuous	15 Minute	AM-4
Additional Requirements				AM-1 & AM-4 AM-2 & AM-4
- Siting				
- Measurement				

M5 Recording of pollution complaints

- M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M5.2 The record must include details of the following:
- the date and time of the complaint;
 - the method by which the complaint was made;
 - any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
 - the nature of the complaint;
 - the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
 - if no action was taken by the licensee, the reasons why no action was taken.
- M5.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M5.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M6 Telephone complaints line

- M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M6.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

Environment Protection Licence

Licence - 5065



M7 Requirement to monitor volume or mass

M7.1 For each discharge point or utilisation area specified below, the licensee must monitor:

- the volume of liquids discharged to water or applied to the area;
- the mass of solids applied to the area;
- the mass of pollutants emitted to the air;

at the frequency and using the method and units of measure, specified below.

POINT 41

Frequency	Unit of Measure	Sampling Method
Special Frequency 3	kilolitres	In line instrumentation

POINT 42

Frequency	Unit of Measure	Sampling Method
Special Frequency 3	kilolitres	In line instrumentation

POINT 43

Frequency	Unit of Measure	Sampling Method
Special Frequency 3	kilolitres	In line instrumentation

Note: Special Frequency 3 sampling requires a continuous inline flow meter with reporting of the total volume of leachate discharged quarterly.

M8 Other monitoring and recording conditions

Requirement to Monitor Landfill Gas

M8.1 The licensee must undertake landfill gas monitoring in accordance with the document titled "Lucas Heights 2 Resource Recovery Park Draft Landfill Gas Monitoring Programme" prepared by GHD and dated 20 August 2018 (Revision E).

The landfill gas monitoring results must be submitted to the EPA annually, accompanying the Annual Return.

M8.2 If the results of the landfill gas surface monitoring required by Condition M8.1 indicate the presence of methane in excess of 500 ppm at or near the ground level of capped areas, the licensee must:

- notify the EPA within 24 hours; and
- submit to the EPA a proposed program to investigate and/or correct the elevated gas levels within 14 days of this notification.

If the results of the landfill gas sub-surface monitoring or gas accumulation monitoring indicate the presence of methane in excess of 1% (volume/volume), the licensee must:

Environment Protection Licence



Licence - 5065

- a) notify the EPA within 24 hours; and
- b) submit to the EPA a proposed program for further investigation and/or remediation of the elevated gas levels within 14 days of this notification.

M8.3 By no later than 2 March 2020, the licensee must provide to the Director Waste Compliance a Landfill Gas Monitoring Programme.

This Landfill Gas Monitoring Programme must be submitted via email to waste.operations@epa.nsw.gov.au and must include, but not be limited to:

1. the monitoring results, trends and risks identified under the *Lucas Heights 2 Resource Recovery Park Draft Landfill Gas Monitoring Programme (August 2018)*;
2. the effectiveness and appropriateness of the monitoring completed under the *Lucas Heights 2 Resource Recovery Park Draft Landfill Gas Monitoring Programme (August 2018)*; generally, and against the required outcomes of the EPA's *Environmental Guidelines: Solid waste landfills (2016)*;
3. any Landfill Gas Risk Assessments undertaken; and
4. the premises' operations into the future and subsequent impacts on the landfill gas monitoring requirements.

Requirement to Record Leachate Discharge Events

M8.4 The licensee must record the date, duration and volume of any leachate discharge to surface water.

Requirement to Record Fires

- M8.5 The licensee must record the following data in relation to all fires occurring at the premises:
- (a) time and date when the fire started;
 - (b) whether the fire was authorised by the licensee, and, if not, the circumstances which ignited the fire;
 - (c) the time and date that the fire burnt out or was extinguished;
 - (d) the location of fire (e.g. clean timber stockpile, putrescible garbage cell);
 - (e) prevailing weather conditions at the time of the fire;
 - (f) observations made in regard to smoke direction and dispersion;
 - (g) the amount of waste that was combusted by the fire;
 - (h) action taken to extinguish the fire; and
 - (i) action taken to prevent a reoccurrence.

6 Reporting Conditions

R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

1. a Statement of Compliance,
2. a Monitoring and Complaints Summary,
3. a Statement of Compliance - Licence Conditions,

Environment Protection Licence



Licence - 5065

4. a Statement of Compliance - Load based Fee,
5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

- R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.
- R1.3 Where this licence is transferred from the licensee to a new licensee:
- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
 - b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.
- R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:
- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
 - b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.
- R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').
- R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:
- a) the licence holder; or
 - b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

Environment Protection Licence



Licence - 5065

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
- a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- a) the cause, time and duration of the event;
 - b) the type, volume and concentration of every pollutant discharged as a result of the event;
 - c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
 - e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
 - f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
 - g) any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other reporting conditions

Notification of Fires

- R4.1 The licensee must notify the details of the occurrence of all fires on the premises to the EPA in accordance with conditions R2.1, R2.2 and R2 note.

Notifications must include the data recorded under condition M8.5 at the time of notification.

Notification of Groundwater Contamination by Leachate and proposed remediation action

Environment Protection Licence

Licence - 5065

- R4.2 In the event that monitoring detects ammonia in groundwater at a concentration above 1 mg/L in any of the points 4, 7, 8, 16, 17, 18, 19, 24, 25, 26, 27, 44, 45, 46, 47, 48, 49 or 50, the licensee must send written notification to the EPA within 14 days of the monitoring results becoming available.

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

G2 Other general conditions

G2.1 Completed Programs

Program	Description	Completed Date
Trial Irrigation of Greenwaste Dam Water on Rehabi	Trial Irrigation of Greenwaste Dam Water on Rehabilitation areas.	30-April-2009
Submission of reports on water quality and odour incidents	Submission of Report including monthly water quality reports from Mill Pond & Sediment Dam, details of all odour incidents and improved environmental management of the site.	30-May-2009
Groundwater Depressurisation	Design & construction of stage 5 (cell 2 & 3) groundwater depressurisation system.	27-November-2012
Compacted Clay Liner	Compacted Clay Liner system installation & implement test regimes and procedures.	27-November-2012
Leachate Management System	Leachate Management System installation in stage 5 (cell 2 & 3) and implementation of test regimes and procedures.	27-November-2012
Construction QA Report - Stage 5 (Cell 2)	Submit construction quality assurance report - stage 5 (cell 2).	27-November-2012
Commencement of Landfilling Operations	Commencement of landfilling operations: waste must not be landfilled in cell 5 (stage 2 & 3) at the premises without EPA written approval.	16-January-2013
Report on leachate level in stage 5 (cell 1) risers	Submission of report on Leachate level in stage 5 (cell 1) including details quarterly monitoring of the leachate level in immediate risers in stage 5 - cell 1 and improved environmental management of the site.	02-August-2008

Environment Protection Licence

Licence - 5065



Implement 12 month surface water monitoring program	Implement 12 month surface water monitoring program - prepared by WSN Env. Solutions dated March 2006.	01-March-2009
Report on surface water monitoring program	At completion of surface water monitoring program, submit report on: a) statistical analysis data; b) graphical presentation data; c) geographical presentation data; d) comparison against leachate & groundwater characteristics.	01-June-2009
Ammonia investigation program	Prepare & submit an investigation program to lower Ammonia concentrations in stormwater.	11-August-2009

8 Pollution Studies and Reduction Programs

U1 Odour Risk Reduction Study

- U1.1 The objective of this Pollution Study is to further study the offensive odour risks on the Premises, and determine reasonable and feasible measures to reduce these risks.
- U1.2 By no later than 15 December 2018, the licensee must engage an appropriately qualified and independent consultant to conduct an Odour Risk Reduction Study.

This Odour Risk Reduction Study must study the current odour risks on the Premises and identify options for reducing these risks. These options are to be identified using (but not limited to) analysis of the following:

1. Incidents and events on the Premises within the last 2 years which had the potential to cause elevated odours;
2. Odour complaints data for the last 2 years and any correlations, trends or relationships to operational conditions;
3. Odour risk reduction recommendations made to the licensee regarding the Premises within the past 2 years;
4. Current industry best practice for the reduction of landfill odours and their applicability to the Premises;
5. Alternative equipment, procedures, engineering solutions, preventative maintenance measures, sizing of the tip face and siting of equipment, and
6. Any other Odour Risk Reduction Options or analysis deemed relevant by the licensee and/or the appropriately qualified and independent consultant.

- U1.3 The licensee must prepare an addendum "*Odour Reduction Options Report*" to the Odour Risk Study at Condition U1.2 for any options identified for reducing odour risks on the Premises.

The Odour Reduction Options Report must, at minimum:

1. consider the options identified in the Odour Risk Reduction Study;
2. detail the range of feasible options, including both long-term and short-term options; and
3. recommend the preferred option(s) that will help mitigate the risk of offensive odours from the

Environment Protection Licence



Licence - 5065

Premises; and

4. provide adequate justification for the preferred option(s) such as by a cost / predicted benefit analysis.

U1.4 By no later than 15 April 2019, the licensee must submit to the Director Waste Compliance NSW EPA a report that, at minimum, fulfils the requirements of Conditions U1.1, U1.2, and U1.3.

This report must be submitted via email to waste.operations@epa.nsw.gov.au

Note: *The EPA does not consider wind to be a source of elevated odours from the Premises. Wind is a potential mechanism for carrying elevated odours from the Premises.*

9 Special Conditions

E1 Requirement To Maintain Financial Assurance

- E1.1 A financial assurance in the form of an unconditional and irrevocable and on demand guarantee from a bank, building society or credit union operating in Australia as “Authorised Deposit-taking Institutions” under the Banking Act 1959 of the Commonwealth of Australia and supervised by the Australian Prudential Regulatory Authority (APRA) must be maintained during the operation of the facility and thereafter until such time as the EPA is satisfied the premises are environmentally secure. The financial assurance must be in favour of the EPA in the amount of four million six hundred and forty four thousand dollars (\$4,644,000). The financial assurance is required to secure or guarantee funding for works or programs required by or under this licence. The financial assurance must contain a term that provides that any monies claimed can be paid to the EPA or, at the written direction of the EPA, to any other person.
- E1.2 The financial assurance must be replenished by the full amount claimed or realised if the EPA has claimed on or realised the financial assurance or any part of it to undertake a work or program required to be carried out by the licence which has not been undertaken by the licence holder.
- E1.3 The EPA may require an increase in the amount of the financial assurance at any time as a result of reassessment of the total likely costs and expenses of rehabilitation of the premises.
- E1.4 The licensee must provide to the EPA the original counterpart guarantee within five working days of the issue of:
- the financial assurance required by condition E1.1; or
 - the adjusted financial assurance as required by condition E1.2 and E1.3

E2 Environmental Obligations of Licensee (Works and Programs)

- E2.1 While the licensee’s premises are being used for the purpose to which the licence relates, the licensee must:
- Clean up any spill, leak or other discharge of any waste(s) or other material(s) as soon as practicable after it becomes known to the licensee or to one of the licensee’s employees or agents.

Environment Protection Licence



Licence - 5065

(b) In the event(s) that any liquid and non-liquid waste(s) is unlawfully deposited on the premises, such waste(s) must be removed and lawfully disposed of as soon as practicable or in accordance with any direction given by the EPA.

(c) Provide all monitoring data as required by the conditions of this licence or as directed by the EPA.

E2.2 In the event of an earthquake, storm, fire, flood or any other event where it is reasonable to suspect that a pollution incident has occurred, is occurring or is likely to occur, the licensee (whether or not the premises continue to be used for the purposes to which the licence relates) must:

(a) Make all efforts to contain all firewater on the licensee's premises;

(b) Make all efforts to control air pollution from the licensee's premises;

(c) Make all efforts to contain any discharge, spill or run-off from the licensee's premises;

(d) Make all efforts to prevent flood water entering the licensee's premises;

(e) Remediate and rehabilitate any exposed areas of soil and/or waste;

(f) Lawfully dispose of all liquid and solid waste(s) stored on the premises that is not already securely disposed of;

(g) At the request of the EPA monitor groundwater beneath the licensee's premises and its potential to migrate from the licensee's premises;

(h) At the request of the EPA monitor surface water leaving the licensee's premises; and

(i) Ensure the licensee's premises is secure.

E2.3 After the licensee's premises cease to be used for the purpose to which the licence relates or in the event that the licensee ceases to carry out the activity that is the subject of this licence, that licensee must

(a) remove and lawfully dispose of all liquid and non-liquid waste stored on the licensee's premises;

(b) rehabilitate the site, including conducting an assessment of and if required remediation of any site contamination.

E3 EPA May Claim On a Financial Assurance

E3.1 The EPA may claim on a financial assurance under s303 of the POEO Act if a licensee fails to carry out any work or program required to comply with the conditions of this licence.

E4 Final Capping Layer

E4.1 The final capping layer must be installed to the following specification starting with the seal bearing layer being applied onto the waste mass:

- 100mm topsoil

- 250mm revegetation layer

- 500mm subsoil layer

- 600mm low permeability compacted clay

- 300mm Seal bearing layer

E5 Expansion of Landfill Gas Field Infrastructure

E5.1 The licensee must expand the existing gas field infrastructure in accordance with Licence Condition O5.10, O5.13, and the below plans and designs received by the EPA on 1 June 2018 and titled:

Environment Protection Licence



Licence - 5065

- Lucas Heights 2 LFG Power Project - Final Design Gas Extraction System Area "D" (Drawing number 840-AB-272, Revision A, dated 24/4/18), Prepared by Energy Developments.
- Lucas Heights 2 LFG Power Project - Final Design Gas Extraction System Area "E" (Drawing number 840-AB-273, Revision A, dated 24/4/18), Prepared by Energy Developments.

E6 Construction of Landfill - Dual Gas and Leachate Trench

E6.1 The licensee must construct and install a dual gas and leachate management trench in accordance with Licence Condition O5.10 and the below plans and designs received by the EPA on 20 July 2017 and titled:

- *Construction Environmental Management Plan Part 1 - Landfill Related Construction works only Dual Gas and Leachate Trench construction works, Lucas Heights Resource Recovery Park (version no. 0031, July 2017), prepared by Suez,*
- *Phase 1 to 4 Filling, Proposed dual gas / leachate trench, sections and details, Drawing No. 147-Se-CL-LHRRP-DA-001 (Revision A, Issued for review on 13.07.17), prepared by Suez,*
- *Phase 1 to 4 Filling, Proposed dual gas / leachate trench, sections and details, Drawing No. 147-Se-CL-LHRRP-DA-002 (Revision A, Issued for review on 13.07.17), prepared by Suez, and*
- *Phase 1 to 4 Filling, Proposed dual gas / leachate trench, sections and details, Drawing No. 147-Se-CL-LHRRP-DA-003 (Revision A, Issued for review on 13.07.17), prepared by Suez.*

E7 Reprofiling (overtopping) works

E7.1 The licensee must conduct the re-profiling (stages 1, 2, 3 and 4) works in accordance with the below plans and designs received by the EPA on 12 October 2017 and titled:

- *Development Consent under Section 89E of the Environmental Planning and Assessment Act 1979 for Application No SSD 6835 issued to SITA Australia Pty Ltd and Sutherland Shire Council, dated 23 January 2017 and signed by Joe Woodward PSM, Member of the Commission (Chair),*
- *Final Landform Phase 1 to 4 Fill Areas, Suez Recycling & Recovery Lucas Heights RRP, Drawing Job Number 21-20508 (Revision A), prepared by GHD, and*
- *Proposed Reprofiling Development Plan, Drawing Job number 21-23482, Landform marked "Phase 1" (Revision C, 3 July 2015) prepared by GHD,*
- *Proposed Reprofiling Development Plan, Drawing Job number 21-23482, Landforms marked "Phase 2" and "Phase 3", (Revision C, 3 July 2017), prepared by GHD, and*
- *Proposed Reprofiling Development Plan, Drawing Job number 21-23482, Landform marked "Phase 4", (Revision C, 3 July 2017), prepared by GHD.*

Environment Protection Licence

Licence - 5065



E8 Special Dictionary

E8.1 Special Dictionary

Term	Description
Cell	a discrete unit of a landfill that is physically separated from other waste emplacements at the premises
Daily cover	material applied on the tipping face of the landfill upon close of business each day to reduce environmental and amenity impacts
Final capping layer	the covering that is applied to the waste to rehabilitate the landfill once it has reached its maximum height
Intermediate cover	a cover of Virgin Excavated Natural Material or approved alternative that is at least 300 millimetres deep that must be applied to surfaces of the landfill that will be exposed for more than 90 days
Landfill gas	gaseous emissions from the anaerobic decomposition of organic waste materials placed in a landfill
Landfilling operations	Any operations on the premises that are not Other landfilling operations.
Leachate	the liquid that passes through, or is released by, waste.
Other landfilling operations	Other landfilling operations includes only security guard control, machinery maintenance and/or repairs, site infrastructure maintenance and/or repairs (landfill gas and leachate), and emergency management activities related to site safety, emergency repairs and site infrastructure repairs.

Environment Protection Licence

Licence - 5065

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 5065

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence



Licence - 5065

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Mr John Sparkes

Environment Protection Authority

(By Delegation)

Date of this edition: 12-April-2001

Environment Protection Licence



Licence - 5065

End Notes

- 1 Licence varied by notice 1011080, issued on 10-Apr-2002, which came into effect on 05-May-2002.
- 2 Licence varied by notice 1018739, issued on 04-Jul-2002, which came into effect on 04-Jul-2002.
- 3 Licence varied by notice 1019721, issued on 30-Aug-2002, which came into effect on 30-Aug-2002.
- 4 Licence fee period changed by notice 1026075 on 25-Mar-2003.
- 5 Licence varied by notice 1034582, issued on 17-Jun-2004, which came into effect on 25-Jun-2004.
- 6 Licence varied by notice 1041728, issued on 22-Oct-2004, which came into effect on 25-Oct-2004.
- 7 Licence varied by notice 1044509, issued on 15-Feb-2005, which came into effect on 16-Feb-2005.
- 8 Licence varied by notice 1044945, issued on 22-Mar-2005, which came into effect on 22-Mar-2005.
- 9 Licence varied by notice 1045900, issued on 22-Jun-2005, which came into effect on 17-Jul-2005.
- 10 Licence varied by notice 1056254, issued on 02-Mar-2006, which came into effect on 18-Mar-2006.
- 11 Licence varied by notice 1063380, issued on 17-Aug-2006, which came into effect on 17-Aug-2006.
- 12 Licence varied by notice 1073111, issued on 13-Feb-2008, which came into effect on 13-Feb-2008.
- 13 Licence varied by notice 1084039, issued on 26-Mar-2008, which came into effect on 26-Mar-2008.
- 14 Licence varied by notice 1084652, issued on 22-Apr-2008, which came into effect on 22-Apr-2008.
- 15 Licence varied by Change to schedule 1, issued on 14-May-2008, which came into effect on 14-May-2008.
- 16 Licence varied by notice 1090406, issued on 03-Nov-2008, which came into effect on 03-Nov-2008.
- 17 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 18 Licence varied by notice 1095614, issued on 19-Dec-2008, which came into effect on 19-Dec-2008.

Environment Protection Licence

Licence - 5065

- | | |
|----|---|
| 19 | Licence varied by notice 1096953, issued on 21-Jan-2009, which came into effect on 21-Jan-2009. |
| 20 | Licence varied by notice 1101542, issued on 05-Jun-2009, which came into effect on 05-Jun-2009. |
| 21 | Licence varied by notice 1119590, issued on 24-Dec-2010, which came into effect on 24-Dec-2010. |
| 22 | Licence varied by notice 1123930, issued on 31-Jan-2011, which came into effect on 31-Jan-2011. |
| 23 | Licence transferred through application 146428, approved on 01-Mar-2011, which came into effect on 01-Mar-2011. |
| 24 | Licence varied by notice 1126549, issued on 31-Mar-2011, which came into effect on 31-Mar-2011. |
| 25 | Licence varied by notice 1127070, issued on 13-Jul-2011, which came into effect on 13-Jul-2011. |
| 26 | Licence varied by notice 1510954 issued on 16-Jan-2013 |
| 27 | Licence varied by notice 1517539 issued on 21-Oct-2013 |
| 28 | Licence varied by notice 1518984 issued on 24-Dec-2013 |
| 29 | Licence varied by notice 1524621 issued on 29-Aug-2014 |
| 30 | Licence varied by notice 1526083 issued on 05-Nov-2014 |
| 31 | Licence varied by notice 1530664 issued on 15-May-2015 |
| 32 | Licence varied by notice 1532400 issued on 02-Dec-2015 |
| 33 | Licence varied by notice 1537321 issued on 22-Jan-2016 |
| 34 | Licence varied by notice 1537662 issued on 21-Jun-2016 |
| 35 | Licence varied by notice 1553888 issued on 17-Jul-2017 |
| 36 | Licence varied by notice 1555375 issued on 07-Dec-2017 |
| 37 | Licence varied by notice 1565771 issued on 27-Nov-2018 |