# Pollutant Monitoring Results - Wet Weather Discharge

**Licensee Name:** SUEZ

**Environmental Protection Licence Number:** 12889

**Facility Address:** 1725 Elizabeth Drive, Kemps Creek 2171

**Period:** Feburary 2018

**A copy of the full licence can be found on the POEO Public Register**
**http://www.epa.nsw.gov.au/prpoeoapp/**

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZs knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au*

| Date Final Monitoring Obtained | Sampling Point | No. of times measured during reporting period | Pollutant | Monitoring Frequency Required by licence | Min Value | Mean Value | Median Value | Max Value | Unit | If Applicable Pollutant limit as per licence | Exceedance (Y/N) or NA | Comments |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 26/02/2018 | 1 | 1 | pH | Special frequency 1 | 7.43 | 7.43 | 7.43 | 7.43 | ph | 6.5-8.5 | N | |
| 26/02/2018 | 1 | 1 | Condutivity | Special frequency 1 | 547 | 547 | 547 | 547 | µS/cm | NA | N | |
| 26/02/2018 | 1 | 1 | Total suspended solids | Special frequency 1 | 34 | 34 | 34 | 34 | mg/l | 50 | N | |
| 26/02/2018 | 1 | 1 | Ammonia | Special frequency 1 | 0.3 | 0.3 | 0.3 | 0.3 | mg/l | 0.9 | N | |
| 26/02/2018 | 1 | 1 | Total organic carbon | Special frequency 1 | 33 | 33 | 33 | 33 | mg/l | NA | N | |
| 26/02/2018 | 1 | 1 | Oil and Grease | Special frequency 1 | <5 | <5 | <5 | <5 | mg+E14:J14/l | NA | N | |
| 26/02/2018 | 1 | 1 | Biochemical oxygen demand | Special frequency 1 | 29 | 29 | 29 | 29 | mg/l | NA | N | |

# Pollutant Monitoring Results - Wet Weather Discharge

**Licensee Name:** SUEZ

**Environmental Protection Licence Number:** 12889

**Facility Address:** 1725 Elizabeth Drive, Kemps Creek 2171

**Period:** Feburary 2018

**A copy of the full licence can be found on the POEO Public Register**
**http://www.epa.nsw.gov.au/prpoeoapp/**

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZs knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au*

| Date Final Monitoring Obtained | Sampling Point | No. of times measured during reporting period | Pollutant | Monitoring Frequency Required by licence | Min Value | Mean Value | Median Value | Max Value | Unit | If Applicable Pollutant limit as per licence | Exceedance (Y/N) or NA | Comments |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |