



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the PEOE Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 2/3	1	Methane	Quarterly	7	ppm	NA	N	1 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.6	ppm	NA	N	2 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.7	ppm	NA	N	3 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	18.4	ppm	NA	N	4 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	102	ppm	NA	N	5 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	54.4	ppm	NA	N	6 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	13.4	ppm	NA	N	7 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	5.6	ppm	NA	N	8 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	5	ppm	NA	N	9 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	4.7	ppm	NA	N	10 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	4.3	ppm	NA	N	11 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	17.8	ppm	NA	N	12 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	15.9	ppm	NA	N	13 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	17.5	ppm	NA	N	14 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	13.7	ppm	NA	N	15 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	9.1	ppm	NA	N	16 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	12.4	ppm	NA	N	17 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	5.1	ppm	NA	N	18 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	5.4	ppm	NA	N	19 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	3	ppm	NA	N	20 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	3.7	ppm	NA	N	21 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	4.4	ppm	NA	N	22 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	4.9	ppm	NA	N	23 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.4	ppm	NA	N	24 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	9.3	ppm	NA	N	25 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	45.1	ppm	NA	N	26 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	9.2	ppm	NA	N	27 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	5.4	ppm	NA	N	28 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	4.5	ppm	NA	N	29 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	6.2	ppm	NA	N	30 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	10.1	ppm	NA	N	31 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	3.6	ppm	NA	N	32 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.1	ppm	NA	N	33 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.2	ppm	NA	N	34 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	4.2	ppm	NA	N	35 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	7.9	ppm	NA	N	36 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	6.6	ppm	NA	N	37 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	6.7	ppm	NA	N	38 - W



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 2/3	1	Methane	Quarterly	5.2	ppm	NA	N	39 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	4.1	ppm	NA	N	40 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	3.3	ppm	NA	N	41 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	3.5	ppm	NA	N	42 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.8	ppm	NA	N	43 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	20.9	ppm	NA	N	44 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	5.5	ppm	NA	N	45 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	-	ppm	NA	N	46 - E
1/08/2016	Void 2/3	1	Methane	Quarterly	4.6	ppm	NA	N	47 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	4	ppm	NA	N	48 - W
1/08/2016	Void 2/3	1	Methane	Quarterly	3.8	ppm	NA	N	49 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	1 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	2 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	3 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	4 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	5 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	6 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	7 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	8 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	9 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	10 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	11 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	12 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	13 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	14 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	15 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	16 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	17 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	18 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	19 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	20 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	21 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	22 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	23 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	24 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	25 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	26 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	27 - W



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	28 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	29 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	30 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	31 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	32 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	33 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	34 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	35 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	36 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	37 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	38 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	39 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	40 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	41 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	42 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	43 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	44 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	45 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	46 - E
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	47 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	48 - W
1/08/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	49 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.7	%	NA	N	1 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.7	%	NA	N	2 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.7	%	NA	N	3 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.7	%	NA	N	4 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.7	%	NA	N	5 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.7	%	NA	N	6 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	7 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	8 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	9 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	10 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	11 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	12 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	13 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	14 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	15 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	16 - W



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	17 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	18 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	19 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	20 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	21 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	22 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	23 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	24 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	25 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	26 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	27 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	28 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	29 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	30 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	31 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	32 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	33 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	34 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	35 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	36 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	37 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	38 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.9	%	NA	N	39 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	40 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	41 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	42 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	43 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	44 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	45 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	46 - E
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	47 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	48 - W
1/08/2016	Void 2/3	1	Oxygen	Quarterly	20.8	%	NA	N	49 - W



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the PEOE Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 4	1	Methane	Quarterly	48.4	ppm	NA	N	T1-0
1/08/2016	Void 4	1	Methane	Quarterly	43.5	ppm	NA	N	T1-25
1/08/2016	Void 4	1	Methane	Quarterly	48.8	ppm	NA	N	T1-50
1/08/2016	Void 4	1	Methane	Quarterly	20.1	ppm	NA	N	T1-75
1/08/2016	Void 4	1	Methane	Quarterly	47.1	ppm	NA	N	T1-100
1/08/2016	Void 4	1	Methane	Quarterly	13	ppm	NA	N	T1-125
1/08/2016	Void 4	1	Methane	Quarterly	5.2	ppm	NA	N	T1-150
1/08/2016	Void 4	1	Methane	Quarterly	12.1	ppm	NA	N	T1-175
1/08/2016	Void 4	1	Methane	Quarterly	6.7	ppm	NA	N	T1-200
1/08/2016	Void 4	1	Methane	Quarterly	12.8	ppm	NA	N	T1-225
1/08/2016	Void 4	1	Methane	Quarterly	20.5	ppm	NA	N	T1-250
1/08/2016	Void 4	1	Methane	Quarterly	37.8	ppm	NA	N	T1-275
1/08/2016	Void 4	1	Methane	Quarterly	4.9	ppm	NA	N	T1-300
1/08/2016	Void 4	1	Methane	Quarterly	108	ppm	NA	N	T1-325
1/08/2016	Void 4	1	Methane	Quarterly	117	ppm	NA	N	T2-0
1/08/2016	Void 4	1	Methane	Quarterly	160	ppm	NA	N	T2-25
1/08/2016	Void 4	1	Methane	Quarterly	221	ppm	NA	N	T2-50
1/08/2016	Void 4	1	Methane	Quarterly	381	ppm	NA	N	T2-75
1/08/2016	Void 4	1	Methane	Quarterly	79.9	ppm	NA	N	T2-100
1/08/2016	Void 4	1	Methane	Quarterly	14.9	ppm	NA	N	T2-125
1/08/2016	Void 4	1	Methane	Quarterly	16.1	ppm	NA	N	T2-150
1/08/2016	Void 4	1	Methane	Quarterly	21.1	ppm	NA	N	T2-175
1/08/2016	Void 4	1	Methane	Quarterly	6.1	ppm	NA	N	T2-200
1/08/2016	Void 4	1	Methane	Quarterly	45	ppm	NA	N	T2-225
1/08/2016	Void 4	1	Methane	Quarterly	44.9	ppm	NA	N	T2-250
1/08/2016	Void 4	1	Methane	Quarterly	36.5	ppm	NA	N	T2-275
1/08/2016	Void 4	1	Methane	Quarterly	34.1	ppm	NA	N	T2-300
1/08/2016	Void 4	1	Methane	Quarterly	26.1	ppm	NA	N	T2-325
1/08/2016	Void 4	1	Methane	Quarterly	48.2	ppm	NA	N	T2-350
1/08/2016	Void 4	1	Methane	Quarterly	49.9	ppm	NA	N	T2-375
1/08/2016	Void 4	1	Methane	Quarterly	6	ppm	NA	N	T2-400
1/08/2016	Void 4	1	Methane	Quarterly	57.4	ppm	NA	N	T3-0
1/08/2016	Void 4	1	Methane	Quarterly	29.1	ppm	NA	N	T3-25
1/08/2016	Void 4	1	Methane	Quarterly	20.9	ppm	NA	N	T3-50
1/08/2016	Void 4	1	Methane	Quarterly	15.1	ppm	NA	N	T4-0
1/08/2016	Void 4	1	Methane	Quarterly	53	ppm	NA	N	T4-25
1/08/2016	Void 4	1	Methane	Quarterly	21.4	ppm	NA	N	T4-50
1/08/2016	Void 4	1	Methane	Quarterly	26.4	ppm	NA	N	T5-0



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 4	1	Methane	Quarterly	22.4	ppm	NA	N	T5-25
1/08/2016	Void 4	1	Methane	Quarterly	13.1	ppm	NA	N	T5-50
1/08/2016	Void 4	1	Methane	Quarterly	16.5	ppm	NA	N	T5-75
1/08/2016	Void 4	1	Methane	Quarterly	11.5	ppm	NA	N	T6-0
1/08/2016	Void 4	1	Methane	Quarterly	12.3	ppm	NA	N	T6-25
1/08/2016	Void 4	1	Methane	Quarterly	18.5	ppm	NA	N	T6-50
1/08/2016	Void 4	1	Methane	Quarterly	40.4	ppm	NA	N	T6-75
1/08/2016	Void 4	1	Methane	Quarterly	25.4	ppm	NA	N	T5-75
1/08/2016	Void 4	1	Methane	Quarterly	17.4	ppm	NA	N	T6-0
1/08/2016	Void 4	1	Methane	Quarterly	12.4	ppm	NA	N	T6-25
1/08/2016	Void 4	1	Methane	Quarterly	8.7	ppm	NA	N	T6-50
1/08/2016	Void 4	1	Methane	Quarterly	9.2	ppm	NA	N	T6-75
1/08/2016	Void 4	1	Methane	Quarterly	28.9	ppm	NA	N	T5-75
1/08/2016	Void 4	1	Methane	Quarterly	9.9	ppm	NA	N	T6-0
1/08/2016	Void 4	1	Methane	Quarterly	51.3	ppm	NA	N	T6-25
1/08/2016	Void 4	1	Methane	Quarterly	95.9	ppm	NA	N	T6-50
1/08/2016	Void 4	1	Methane	Quarterly	181	ppm	NA	N	T6-75
1/08/2016	Void 4	1	Methane	Quarterly	71.1	ppm	NA	N	T5-75
1/08/2016	Void 4	1	Methane	Quarterly	5.8	ppm	NA	N	T6-0
1/08/2016	Void 4	1	Methane	Quarterly	8.6	ppm	NA	N	T6-25
1/08/2016	Void 4	1	Methane	Quarterly	128	ppm	NA	N	T6-50
1/08/2016	Void 4	1	Methane	Quarterly	72.7	ppm	NA	N	T6-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-100
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-125
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-150
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-175
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-200
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-225
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-250
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-275
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-300
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T1-325
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-25



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-100
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-125
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-150
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-175
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-200
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-225
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-250
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-275
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-300
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-325
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-350
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-375
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T2-400
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T3-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T3-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T3-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T4-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T4-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T4-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-50



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T5-75
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-0
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-25
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-50
1/08/2016	Void 4	1	Carbon Dioxide	Quarterly	0	%	NA	N	T6-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-100
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-125
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-150
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-175
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-200
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-225
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-250
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-275
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-300
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T1-325
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-100
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-125
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-150
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-175
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-200
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-225
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-250
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-275
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-300
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-325
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-350
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-375
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T2-400
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T3-0



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T3-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T3-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T4-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T4-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T4-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T5-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T5-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T5-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T5-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T5-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T5-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-75
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-0
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-25
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-50
1/08/2016	Void 4	1	Oxygen	Quarterly	20.8	%	NA	N	T6-75